

A

Abstinence program, 101
 Abuse of clinically used medications, 84–85
 Access to medications, 5
 Accreditation Council for Pharmacy Education, 16
 Action
 bases for, 98
 plan for domestic violence, 368
 Active tuberculosis, 330
 Adams, Samuel H., 80
 Adult vaccination service, 298–300, 301–2
 Advertising, 300
 Advisory Committee on Immunization Practices (APIC)
 Child Immunization Schedule, 302
 Affordable housing, 241
 “Airs, Waters, and Places,” 27
 All-hazards emergency preparedness, 343
 Alma-Ata Declaration, 130
 Alternative selection, 105
 American Association of Colleges of Pharmacy, 16
 American Cancer Society, 190
 American College Health Association (ACHA), 333
 American Diabetes Association, 187
 American Lung Association, 275
 American Pharmacy Association (APhA), 298
 American Public Health Association, 16
 American Red Cross, 345
 American Revolution, public health and, 24–26
 American Society of Health-System Pharmacists, 16
 Analysis, perspective of, 104
 Anesthesiology, 31
 Antineoplastic medications, 190
 APPE, 281
 Asklepios, 28
 Aspirin, 6
 Assessment
 SOAPE, 259–61
 summary, 280–81
 wheel, 251
 Assistant Secretary for Preparedness and Response (ASPR), 346
 Attitudes, 137, 147–48
 enabling, 150
 Atypical pneumonia cases, 47
 Authority sources, 73
 Authorized Distributor of Record (ADR), 82
 Autonomy, respect for, 96
 Avian flu, 38
 pandemic, 65
 Awareness, 163–64
 training, 150

B

Baby boomers, 230
 Behavior change, 34–36, 286–87
 Behaviors, 119
 Beneficence, 96
 Bioethics, 95, 97–98, 107
 Bird flu, 38, 40
 Board of Health, 63
 Board of Pharmacy, 295
 Body mass index (BMI), 310
 Booster, 292
 Broad populations, 10
 Broad Street Pump, 33
 Bubonic plague, 29–30
 Bureau of Prisons, 60

C

Campaigns, 36
 Campus characteristics, 329
 Campus-to-community conversion, 337–38
 CARE International, 55
 Case-control study, 215, 218–19
 Case definition, 202
 Case law, 73
 Case reports, 211, 214
 Case series, 211
 Case study
 attitude enablement, 148
 case-control study, 219
 CLAS standards, 146–47
 cockroach problem 3–4, 8, 13, 14–15
 cohort study, 217
 colon cancer, 181–82, 185, 191–92
 community group work, 267
 community health, 248–49
 contaminated food prevention, 3, 8, 13, 14–15
 counterfeit medications, 72
 cultural diversity, 135–36, 138, 139, 142, 145, 149
 demographic characteristics, 231
 determinants of health at community level, 123
 determinants of health at global level, 128
 determinants of health at state/national levels, 125
 economic principles, 100–101
 error reduction, 220–21
 ethical dilemma associated with injected
 methamphetamine, 102–3
 health promotion, 168, 170, 172–74
 health status data, 236–38
 healthy senior, 4, 8, 13, 14–15
 healthy weight, 160–61
 heart attack prevention, 3, 8, 13, 14–15
 increasing cultural competency, 154

- injected methamphetamine, 94–95, 97, 105–6
- medication errors, 199–200, 205, 208–9, 211–14, 223
- medication safety, 78, 83, 86, 87
- objective data, 257–58
- outbreak, 46–47, 51–52
- outcome measures, 263
- planning intervention, 262
- population, 229
- population health indicators, 113–14
- priority health issue, 261
- SARS, 56–57, 65–67
- secondary prevention, 188–89
- SOAPE framework, 255
- student daily life, 37–38
- U.S.–Mexico border, 111–12
- vulnerable populations, 241
- weight maintenance, 166–67
- Census Bureau, U.S., 139, 228, 307
- Center for Drug Evaluation and Research (CDER), 62
- Centers for Disease Control and Prevention, 304, 323
 - communicable diseases, 38
 - disease reporting, 74
 - Healthy People 2010, 236
 - outbreak, 50
 - physical activity, 160
 - public health service, 60–62
 - tobacco cessation, 275, 278
 - vaccines and, 298
- Centers for Medicare and Medicaid, 208
- Chicken pox, 194–95
- Child vaccine pamphlets, 298, 301, 302, 307
- Children’s health insurance programs (CHIPs), 77
- Chloroform, 31
- Cholera, 30, 33
- Citizens, role of, 39–40
- Civil Rights Act, Title VI, 134
- CLAS (Culturally Linguistically Appropriate Services) Standards, 145–46, 153
- Client assessment, 318
- Clinical prevention, 2, 10–12
- Clinical treatment, 2, 7–8, 10–11
- Clinically used medications, abuse of, 84–85
- Codes of Ethics, 95, 98–101, 107
- Cohort study, 215–17
- Collaboration, 249, 263–67
- Collaborative group work, 269
- Collaborative practice agreements (CPA), 295, 299
- Collier’s Weekly, 80
- Colon cancer, 181–82, 185, 186, 188–89
- Committee for Obesity Prevention, 309, 316
- Communicable disease, 38
- Communication networks, 124, 126
- Community, 10, 97–98
 - based education, 185
 - based screening fair, 188–89
 - coalitions, 4–5, 325
 - culture, 278–79
 - disease prevention, 180
 - domestic violence data, 364
 - members, 15–16
 - opinion interview, 363
 - partner model to guide data collection, 250–51
 - residents, 250
 - review, 347
 - specific cultural knowledge, 148
 - survey, 250–51, 255
 - vulnerable populations, 241
- Community characteristics
 - disaster teams, 344–45
 - domestic violence, 364
 - obesity, 313
 - tobacco cessation, 276
- Community group management, 263–67
 - phases, 265–67
- Community health, 133, 247
 - center, 229, 313, 314
 - characteristics, 269
 - defined, 249–50
 - domestic violence, 370, 371
 - focus, 250
 - forum, 373
 - issues, 259
 - pharmacy role, 16–17
 - timeline, 253
- Community Health Improvement Process (CHIP), 268
- Community health worker, 309, 311, 312, 315, 316, 325
- Community level
 - determinants, 120, 161
 - interventions, health promotion, 167–68
- Community as Partner, 250, 267, 269
- Competence types, 156
- Contagious, 23
 - disease, 135
 - tuberculosis, 327
- Continuum, health to death, 178–79
- Correlational study, 210
- Cost benefit analysis (CBA), 104
- Cost-effectiveness, 98
- Cost-effectiveness analysis (CEA), 104
- Cost-of-illness (COI) studies, 104
- Cost utility analysis (CUA), 104
- Costs, 94, 107
- Coumadin, 346
- Counselor training, 281
- Counterfeit Drug Task Force, 62
- Counterfeit medications, 62, 72, 81–82
- County health inspector, 37
- CPR training, 295
- Cross-sectional survey, 210, 213
- Cultural beliefs, knowledge of, 148
- Cultural clash, 155
- Cultural competence, 134–35, 137, 155, 156
 - attitude barriers, 147–48
 - components, 156
 - interpreter services, 143–45
 - learning, 149–54

Cultural diversity, 141
Cultural issue, 135–36, 324
Culturally competent care, 146
Culturally competent practice site, 153
Culturally responsive service, 142–43
Culture, 135, 136–37, 139, 153
Cumulative incidence rate (CI), 206
Curriculum, 18

D

Data analysis, 259, 279–80
Data collection, information, 101
Data interpretation, 238, 259, 297, 280–81
Death rates, 181
Debriefing, 351
Declaration of Alma-Ata, 115
Demographic, 228
 characteristics, 277
 data, 229, 230, 243–44
 vulnerable populations, 239–40
Demographics, 242
Department of Health and Human Services (DHHS), 346
Deprived environment, 241
Determinants, 114, 132
 background, 115
 community level, 119–22
 individual level health, 117
 person–environment interaction, 115–16
 physical, 118
 socioeconomic status (SES), 118
 state and national level, 123–25
Determinants of health, 115, 161, 176
 global level, 126–28
Diabetes, type 2, 194
Diethylene glycol (DEG), 79
Digoxin, 346
Direct interactions, 14
Directly observed therapy (DOT), 330–31
Disaster, 356
 assessment, 347
 data, community, 345
 deployment, 349
 discussion, 353–54
 emergency preparedness, 343
 epidemiology, 342
 evaluation, 351–53
 implementation, 349–51
 pharmacy, 357
 planning, 347–48
 preparing for deployment, 348
 risk factors, 342–43
 subjective data, 346–47
 vulnerable populations, 354
Disaster Medical Assistance Team (DMAT), 346–47, 348, 349, 351–52
Disease
 in Americas, 131
 defined, 22–23, 202–3

 frequency, distribution, 205–9
 incidence, prevalence, 113, 203
 location, 204
 management services, 238
 natural history of, 7–8, 19, 22
 occurrence, 204
 public health and, 8–9
 reporting, surveillance, 48, 74–75
Disease prevention, 8, 178
 community, 180
 health promotion, 194
 individual, 179
 international, 180–81
 state, 180
Distributors regulation, 76
Diversion, 82
Diversity, population group, 139–40
Doctors without Borders, 55
Domestic violence, 359–60
 assessment, 365–66
 CDC, 371
 coalition, 361
 community forum, 361
 community opinion interview, 363
 discussion, 369–71
 epidemiology, 360
 evaluation, 368–69
 health consequences, 360
 implementation, 367–69
 need determination for program, 372
 objective data, 364
 pharmacist's role, 373
 planning, 366–67
 risk factors, 360–61, 372–73
 subjective data, 362
Dopamine, 95
Dose–response relationship, 35
Downstream costs, 107
Drug Enforcement Agency (DEA), 76
Drug-resistant tuberculosis (XDR-TB), 38

E

Ecological approach, 2, 20, 131
Ecological framework, 162
Ecology
 defined, 13–14
 individual–environment interaction, 14
Economic analyses, 104
Economic basis, 107
Economic characteristics, 232, 234
Economic impact framework, 104
Economic issues, 103–6
Economics, 93, 119, 121
Education, 122, 240
Educational attainment, 118
Elixir of Sulfanilamide, 79, 80
Emergency medical services (EMS), 346
Emergency preparedness, 341
Emergency response, 343

- Employee smoking cessation program, 282–83, 285
- Endemic, 208, 332
- Environment, 39
 - as disease source, 13
 - and health, 175
 - changing, 286
 - defined, 13
 - direct and indirect interaction, 14
 - individual interaction with, 14
- Environmental impact, 77
- Environmental Protection Agency (EPA), 78, 86
- Epidemic, 25, 43, 184, 208, 330
- Epidemiology, 17–18, 26, 31, 197, 200, 209, 224
 - analytic, 214–15
 - case-control study design, 218–19
 - cohort study design, 215–17
 - defined, 12
 - defining disease, 202–3
 - descriptive, 210–11, 226
 - disease location, 204
 - disease occurrence, 204
 - domestic violence, 360
 - experimental study design, 220
 - obesity, 310
 - origins, evolution of, 201–2
 - outbreak size, 203
 - public health and, 12
 - public health roles, 221–23
 - reason for occurrence, 204
 - statistics, 12
 - tobacco use, 34, 275
 - tuberculosis, 327
 - who affected by, 203
- Essential medication, 132
- Ethical dilemma, 101–3, 107
- Ethical issue, 101
- Ethical practice, public health, 100
- Ethics, 93, 95–98
- Ethnic identity, 138
- Ethnicity, 139
- Evacuated, 346
- Evidence-based interventions, 221–22
- Experimental study, 209
 - design, 220
- Exposure, 8
- Exposure-to-disease timeline, 201
- Extensively resistant tuberculosis (XDR-TB), 328, 338
- Extra-Strength Tylenol, 81
- F**
- Federal medical teams, 357
- Federal poverty level, 364
- Federal Tort Claims Act (FTCA), 353
- “First receivers,” 343
- First responder, 343
- Focus groups, 285
- Food and Drug Act, 89
- Food and Drug Administration (FDA), 5, 60, 62–63, 69, 73, 80
- Food supply, 26–28, 39, 42, 121
- Food, Drug and Cosmetic Act (FD&C Act), 79, 90
- Formative analysis, 340
- Formative evaluation, 326
- Form preparation, 299
- Forum
 - agenda, 367
 - setting, 367
- Framework
 - conceptual, 116–17
 - describing community culture, 151
 - health determinants, 116
 - learning about culture, 150
 - learning cultural competence, 147–49
 - SOAPE, 247
- Framingham Heart Study, 215
- Funding, obesity, 317
- G**
- Gas anesthesia, 31
- Global climate change, 39
- Global collaboration, 57
- Global determinants of health, 126–28
- Global environmental change, 126
- Global level determinants, 161
- Global level intervention, 170
- Global network, 55–56
- Global pandemic, 38
- “Good Samaritan” laws, 353
- Government, 15, 125
 - regulation, 90
 - role of, 39–40, 42
- Great American Fraud, The*, 80
- Greece, 500 BC to AD, 26–28
- Group learning, 268
- Guided reflection, 153
- H**
- Hand washing, 165
- Health, 97, 240
 - defined, 7, 19
 - WHO’s definition of, 6
- Health boards, 30
- Health Canada, 65
- Health care, 5
 - personnel, 15, 292
 - work and research, guiding principles, 96
- Health department, 47–48
- Health determinant, 110
 - defined, 131
 - summary by level, 127
- Health disparities, 140–42, 322
- Health education, 162–63, 176
- Health ethics, 107
- Health and Human Services, U.S. Department of, 145
 - background, 60

- major agencies of, 61
- mission, 59–60
- Health improvement, 19
- Health indications, community, 133
- Health insurance, health systems, 125
- Health Insurance Portability and Accountability Act (HIPAA), 75, 331
- Health laws, historically important, 78
- Health monitoring, 221
- Health Officer, 63–64, 70
- Health profiles, 235
- Health promotion, 8, 159, 162, 178
 - activities, locations for, 170–71
 - community role, 170–74
 - defined, 176
 - disease prevention, 194
 - education and, 162–64
 - interventions, 164–70, 174
 - primary prevention and, 184
- Health Resources and Services Administration (HRSA), 60, 62
- Health risk factors, 289
- Health risk reduction, 286
- Health services data, 235
- Health status, 10
 - data, 242, 243
 - information, 228
- Health-to-death continuum, 179, 182
- Healthy living conditions, 130
- Healthy People 2010, 236, 275, 292, 327
- Hispanic culture, 155, 156
- Historical timeline, 27
- HIV/AIDS, 195, 327
- Housing, 121
- Human Genome Project, 202

I

- ICD-10-CM, 207
- Immediate costs, 107
- Immunization, 292, 293
- Implementation, SOAPE, 261
- Incidence, 48, 112, 205, 206
- Incidence density (ID), 206–7
- Incidence rate (IR), 181, 206–7
- Incident Command System (ICS), 348
- Indian Health Service (IHS), 210, 236, 354
- Indirect interactions, 14
- Individual approach, 10–11
- Individual disease prevention, 179
- Individual level determinants, 161
- Individual level interventions, 164–67
- Ineffective medications, false claims, 79–80
- Infant mortality rate, 112, 132
- Infant vaccine pamphlets, 298, 301, 302, 307
- Infectious disease, 23–24, 38
 - influence on societies, 41
 - reporting form, 49

- Influenza
 - mortality, morbidity, 292
 - vaccination rates, 292
- Informal polls, 279
- Information methods, 150, 152
- Initial analysis, performing, 105
- Injectable drug abuse (IDA), 92, 96
- Injected methamphetamine, 102–3, 105–6
- Innovation, 175
- Inoculation, 23, 25–26
- Inpatient smoking cessation program, 281, 282, 283, 284–85
- Institute of Medicine (IOM), 15, 84, 268
 - Committee on Public Health, 15, 16
- International Classification of Disease, 10th edition (ICD-10), 207
- International disease prevention, 180–81
- International Federation of Red Cross and Red Crescent Societies (IFRC), 55, 56
- International Health Regulations (IHRs), 73
- International Medication Products Counterfeiting Taskforce (IMPACT), 62
- International public health network, 52–56
- International travel, 50
- Interpreter models, 143–45
- Intervention, 134, 160, 281–82
 - funding, 222
 - health promotion, 164–70
 - individual health promotion, 166
 - level of, 176
 - outcomes and evaluations, 166
 - tertiary prevention, 190
 - to increase resistance, 184
 - to reduce exposure, 184
- Interview data, 259
- Isolation, 51, 74
- Issue, framing, 101–2

J–K

- Jacobson v. Massachusetts*, 74
- Justice, 96
- Kefauver–Harris Drug Amendment, 80
- Key informant, 311, 362
 - domestic violence, 365
 - interview guide, 311–12
 - interview, obesity, 314, 315
 - questionnaire, 312
- Knowledge, 148–49, 156–57
 - health education, 163
 - how-to, 164
 - underlying principles, 164

L

- Landmark pharmacy laws, 78–79
- Language, 138
 - access services, 146
- Latent tuberculosis, 326, 337
 - monitoring service, 340

Law
 as tool, 72
 historically important, 78
 sources of authority, 73
 to mandate, enforce behaviors, 73–75
 unsafe medication use, 85
 vulnerable people, environments, 76–78

Learning structure, 153

Leprosy, 29

Levels of prevention, 182–83, 194–96
 primary, 183–84

Liability, 353–54

Life expectancy, 112, 131

Life-long immunity, 23

Lifestyle change, 323

Lifestyles, 160

Linguistic proficiency, 138

Literature review
 disaster, 347
 obesity, 314–15
 search, 279
 tuberculosis, 331–32

Local emergency planning committee (LEPC), 345

Local government, 122

Local health promotion, 176

Local public health structures, functions, 64

London cholera epidemic (1848), 30–32

Long-term perspective, obesity, 322

Lost productivity, 94

L-thyroxine dosage, 199–200

Lung cancer, 34–35

Lydia E. Pinkham's Vegetable Compound, 79

M

Manufacturers regulation, 76

Master of Public Health (MPH), 64

Master Settlement Agreement (1998), 36, 275

Median income, 364

Medicaid, 36, 77, 235, 280

Medical clinic data, 297

Medicare, 77, 235, 300

Medication error, 84, 198–200
 defined, 198–99

Medication safety, 78

Medication use, 71–72
 domestic violence, 369
 effective, 129

Medications, 129
 access to, 5
 assuring safe and effective, 5
 disposal of, 6, 87
 essential, 132
 faulty or dangerous, 79–80, 83
 inappropriate disposal of, 86–87
 safe use of, 6

Medicine label evolution, 81

MedWatch, 62

Methamphetamine, 93, 94–95

Miasma, 30, 32

Middle Ages, 500 AD to 1500, 28–30, 40, 43

Monetary values, 105

Morbidity, 45, 112, 113, 178, 207, 274, 292

Mortality, 45, 178, 207, 237, 274, 292

Mortality rate, 112, 207–8, 235
 maternal, 112–13

Motivational interviewing, 333

Multicomponent, smoking cessation, 35–36

Multi-drug resistant tuberculosis (MDR-TB), 328, 338

Mutual Recognition Agreement (MRA), 76

Mycobacterium tuberculosis, 38

N

National Association of Boards of Pharmacy (NABP), 83

National Cancer Institute, 181

National Center for Health Statistics (NCHS), 208, 228, 307

National Coordinating Council for Medication Error Reporting and Prevention (NCCMERP), 198

National determinants of health, 125

National Disaster Medical System (NDMS), 346

National disaster response teams, 344–45, 355

National disease prevention, 180

National identity, 138

National interventions, health promotion, 169–70

National level determinants, 123–25, 161

National Pharmacist Response Team (NPRT), 346

Natural disasters, 45, 342

Needle exchange program, 96

Needs assessment, 286, 289

Neighborhood interventions, 171

New program evaluation, 102

Nicotine replacement treatment (NRT), 277

Nightingale, Florence, 41

Nineteenth century, 30–34

Non-governmental organizations, 55, 70

Non-maleficence, 96

No-smoking ordinance, 18

Notifiable diseases, 48

Nutrition education, 318

O

Obesity
 assessment, 314–16
 cultural issue, 324
 data interpretation, 316
 discussion, 321–22
 epidemiology of, 310
 evaluation, 320–21
 implementation, 317–20
 literature, 312
 objective data, 313–14
 planning, 316–17
 preventable morbidity and mortality, 310
 risk factors, 310, 324
 subjective data, 311–12

- Obesity prevention
 - Latino community, 310–11
 - objective data, 324
 - pharmacist and, 325
 - Objective data, 288, 362
 - Observational data collection, 256–57
 - Observational epidemiology, 226
 - Observational study, 209, 224
 - Odds ratios, 218–19, 225
 - Office of Minority Health, 145
 - Omaha System, 324
 - On-demand vaccination service, 302, 303–4, 307–8
 - One-day flu shot event, 301, 302, 308
 - Opinion survey, 253, 254
 - data summary, 260
 - Options
 - consideration, 102
 - implementing, 102
 - Organizational phase, 266
 - Organizational supports, 146
 - OSHA standards, 299
 - Outbreaks, 45–47, 203
 - Outcome, 165
 - measures, 262
 - Outcomes evaluation
 - community health promotion intervention, 168, 170
 - primary prevention, 184
 - tertiary prevention, 190
 - Oxfam International, 55
- P**
- Pan-American Health Organization (PAHO), 54–55, 70, 170
 - Pandemic, 52, 208
 - Patent medicines, 79
 - Pedigrees, 82
 - Perpetrators, 361, 364–66
 - Personal health information (PHI), 75
 - Personal movement restriction, 74
 - Personal planning, 347
 - Person–environment interaction, 115, 132
 - Pharmaceuticals, 90
 - Pharmacist
 - administered vaccine laws, 295
 - determinants of health, 128–30
 - disaster, 343, 356
 - domestic violence role, 373
 - immunizations and, 308
 - prevention and, 192–93
 - Pharmacoepidemiology, 202, 226
 - Pharmacy, 5–6
 - advocates for expanded role, 16
 - based TB service, 340
 - community health expanded role, 16–17
 - local to global roles, 67–68
 - practice acts, 76
 - public health role, 16
 - Pharmacy Boards, 75
 - Pharmacy services, 90
 - evaluation, 357
 - Pharmacy students, interns, 304
 - Phase IV study, 80
 - Physical activity, 160, 318, 320
 - Physical environment, 121
 - Planning, SOAPE, 261
 - Pneumonia mortality, morbidity, 292
 - Poison Prevention Week, 192
 - Police power, 73
 - Poliomyelitis outbreak, 69
 - Population
 - approach, 11, 13, 19
 - community level data, 228–29
 - comparison, 230
 - defined, 9
 - demographic description of, 229–34
 - demographics, 276
 - health, 4
 - health indicators, 112–14
 - health status description, 235–38
 - level data, 212, 228
 - Population characteristics, 293–94
 - domestic violence, 364
 - obesity, 313
 - Population group, 227
 - diversity, 139–40
 - Population pyramid, 230–31, 232, 233, 244–45
 - Portion size, 324
 - Post-exposure prophylaxis (PEP), 187
 - Post-marketing surveillance, 80
 - Post-traumatic stress disorder (PTSD), 118
 - Potentially dangerous behavior, 90
 - Poverty, 131, 241
 - Prescription Drug Marketing Act (PDMA), 82
 - Prevalence, 205–6
 - Prevalence rate, 48
 - formula, 206
 - Prevention, 193
 - levels of, 182–83
 - Primary care, 115, 122
 - Primary health care services, 5
 - Primary prevention, 183–84
 - Priority health issue, 259, 260
 - Problem understanding, 265–67, 270
 - Procedures for group meetings, 264
 - Process
 - evaluation, 102
 - measures, 262
 - Productive collaboration, 263
 - Program
 - evaluation, 289
 - feasibility, 280
 - structure, obesity, 317
 - Prospectively, 214
 - Protocols, 299
 - Psychological factors, 118–19

Public health, 17
 activities, 18
 compared to individual approach, 11
 defined, 4–5, 19, 22
 history, 41
 importance of economic issues, 103–6
 organizations, 126
 overview, 2–4
 policies, laws, 222
 principles, 99
 problems, 221
 responsibility for, 15–16
 work, research, 97–98
 Public Health Service, 69, 354
 essential, 47
 Public health system, 125
 within countries, 57–58
 Public transportation, 241

Q

Quack medicines, 80
 Quality-adjusted life year (QALY), 94, 104
 Quarantine, 25, 30, 74
 Queen Victoria, 31
 Question, framing, 104

R

Race, 139
 Record keeping, 300
 Red Cross Disaster Services, 355
 Red Cross shelters, 350
 “Region of the Americas,” 54
 Rehabilitation, permanent disability, 190
 Reimbursement plan, tuberculosis, 333, 335
 Relative odds ratios, 218–19
 Relative risk (RR), 216–17, 225
 Relevant alternatives, 105
 Reportable disease, 48, 333
 Research, 221–22
 funding priorities, 222
 Resistant TB, 337
 Resource Conservation and Recovery Act (RCRA),
 78, 86–87
 Resources, 295–96
 limited, 103–4
 Results interpretation, 105
 Retail pharmacy immunization service
 assessment, 297
 background, 293
 evaluation, 302–4
 implementation, 301–2
 objective data, 293–96
 planning, 298–300, 307
 subjective data, 296–97
 Retrospectively, 214
 Risk factors, 360–61
 Robustness of initial results, 105
Role of Medicine, The, 116

Roman health practices 400 AD, 28
 Rumors, 350–51
 Rural community
 defined, 248
 health implications, 248

S

Safe medication use, 89
 Sanitation, 26–28, 39, 42, 121
 School enrollment, 297
 Scientific method, 26, 30–34, 42
 Screening, 186–87
 Secondary prevention, 186–89
 Secondary wholesalers, 82
 Self-administered therapy (SAT), 330
 Self-report surveys, 93
 Sensitivity training, 150
 Sentinel case, 49–50
 Sentinel event, 208
 Service options, 294–95
 Severe Acute Respiratory Syndrome (SARS), 45, 48,
 52, 126, 204
 case study, 56–57, 65–67
 retail pharmacy issues, 66, 68
 Skill, 137, 149
 Smallpox, 23–26, 41
 Snow, John, 31–34, 42, 43
 SOAPE framework (Subjective, Objective, Assess-
 ment, Planning, Evaluation), 247, 250, 252, 309,
 359
 assessment, 259–61
 community health timeline, 253
 community health vs. individual care, 252
 evaluation, 262–63
 objective data, 255, 258
 planning and implementation of intervention,
 261–62
 process, 267, 269
 shared framework, 252–53
 subjective data, 253–55
 Social characteristics, 232, 233
 Social environment, 122
 Social services, 122
 Stages of change, 318, 319
 Stakeholders, 274, 279, 296–97, 362
 State determinants of health, 125
 State disease prevention, 180
 State health department data, obesity, 313, 314
 State interventions, health promotion, 169–70
 State level determinants, 123–25, 161
 State public health, 63–64
 Strategic National Stockpile (SNS), 345
 Student health service, 329
 Student population, 329–30
 Subjective data, 288, 362
 Substance abuse, 93–95
 Supplies, 300
 Surveillance, 69

T

- Target population, 183
 - health promotion, 165
 - health promotion intervention, 167, 169
- Task roles, 263
 - effective collaboration, 264
- Tertiary prevention, 189–92
- Thyroid stimulating hormone (TSH), 199–200
- Title VI of Civil Rights Act of 1964, 143, 145
- Tobacco cessation programs, 276
 - assessment, 279–81
 - data interpretation, 280–81
 - discussion, 286–87
 - evaluation, 284–85
 - implementation, 283
 - literature, 278
 - objective data, 276–78
 - planning, 281–83
 - subjective data, 278–79
- Tobacco control, pharmacist and, 289
- Tobacco use, 34–36, 274
 - interventions and control measures, 277–78
 - public health issue, 275
 - risk factors, 289
 - statistics, 277
- Training, 348
- Training personnel, immunizations, 298–99
- Translators, 143
- Treating to cure, 190
- Triage, 349
- Triangulating data, 297
- Tuberculosis (TB), 134, 135–36, 142–43, 327
 - assessment, 332
 - campus-based, 328–29
 - data collection, 339
 - epidemiology of, 327
 - evaluation, 335–37
 - implementation, 335
 - objective data, 329–31
 - planning, 332–33, 335
 - resistant strains, 328
 - screening, 334, 336
 - stigma, 328
 - subjective data, 331–32
 - treating latent, 337
 - treatment protocol, 334
- Twentieth century, 34–36
- Twenty-first century, 37

U

- U.S. Constitution, 58, 90
- U.S. Consumer Product Safety Commission (CPSC), 62
- U.S.–Mexico border, 111
- U.S. Public Health Service (USPHS), 60, 74

- U.S. public health system
 - federal authority, 58
 - state and local authority, 58
 - structure of, 59–64, 69–70
- Uniformed Services Employment and Reemployment Rights Act (USERRA), 354
- United Nations, 53, 55
 - International Strategy for Disaster Reduction (UNISDR), 342
- Universal Declaration of Human Rights (1948), 97
- Unsafe medication, 79, 84–86
- Unsupervised use of potent medications, 84
- Unvaccinated residents, 294
- Urbani, Dr., 56

V

- Vaccination, 291
 - area, 300
 - histories, 296
 - location for service, 305
 - schedules, 306
 - service, 304, 307
- Vaccine, 38, 300
- Vaccine preventable disease, 292
- Vaccines adverse events (VAES), 62
- Vaccines for Children (VFC), 300
- Verified Internet Pharmacy Practice Sites (VIPPS), 83
- Violence, 126
- Voluntary collaboration, 52
- Voluntary participation, 53
- Vulnerable populations, 54, 245, 354
 - characteristics of, 239–41
 - environments, 76–78

W

- W.I.C. (Women, infants and children), 163
- Washington, George, 24–26
- Water, 26–28, 39, 42, 121
 - supplies, 30–34
- Weight loss maintenance, 323
- Western biomedicine, 15, 150
- Western medicine and traditional healing, 155
- Workplace interest, tobacco cessation, 279
- World Health Organization (WHO)
 - access to medications, 5
 - as authority, 73
 - communicable disease, 51
 - counterfeit medications and, 82
 - death rate counts, 207
 - functions of, 53–54, 69, 70
 - global interventions, 170
 - health definition, 6
 - public health organizations, 126
 - regional offices of, 54
 - socio-economic status, 118, 161
 - tuberculosis and, 327