

## A

Abstinence program, 101  
 Abuse of clinically used medications, 84–85  
 Access to medications, 5  
 Accreditation Council for Pharmacy Education, 16  
 Action  
   bases for, 98  
   plan for domestic violence, 368  
 Active tuberculosis, 330  
 Adams, Samuel H., 80  
 Adult vaccination service, 298–300, 301–2  
 Advertising, 300  
 Advisory Committee on Immunization Practices (APIC)  
   Child Immunization Schedule, 302  
 Affordable housing, 241  
 “Airs, Waters, and Places,” 27  
 All-hazards emergency preparedness, 343  
 Alma-Ata Declaration, 130  
 Alternative selection, 105  
 American Association of Colleges of Pharmacy, 16  
 American Cancer Society, 190  
 American College Health Association (ACHA), 333  
 American Diabetes Association, 187  
 American Lung Association, 275  
 American Pharmacy Association (APhA), 298  
 American Public Health Association, 16  
 American Red Cross, 345  
 American Revolution, public health and, 24–26  
 American Society of Health-System Pharmacists, 16  
 Analysis, perspective of, 104  
 Anesthesiology, 31  
 Antineoplastic medications, 190  
 APPE, 281  
 Asklepios, 28  
 Aspirin, 6  
 Assessment  
   SOAPE, 259–61  
   summary, 280–81  
   wheel, 251  
 Assistant Secretary for Preparedness and Response (ASPR), 346  
 Attitudes, 137, 147–48  
   enabling, 150  
 Atypical pneumonia cases, 47  
 Authority sources, 73  
 Authorized Distributor of Record (ADR), 82  
 Autonomy, respect for, 96  
 Avian flu, 38  
   pandemic, 65  
 Awareness, 163–64  
   training, 150

## B

Baby boomers, 230  
 Behavior change, 34–36, 286–87  
 Behaviors, 119  
 Beneficence, 96  
 Bioethics, 95, 97–98, 107  
 Bird flu, 38, 40  
 Board of Health, 63  
 Board of Pharmacy, 295  
 Body mass index (BMI), 310  
 Booster, 292  
 Broad populations, 10  
 Broad Street Pump, 33  
 Bubonic plague, 29–30  
 Bureau of Prisons, 60

## C

Campaigns, 36  
 Campus characteristics, 329  
 Campus-to-community conversion, 337–38  
 CARE International, 55  
 Case-control study, 215, 218–19  
 Case definition, 202  
 Case law, 73  
 Case reports, 211, 214  
 Case series, 211  
 Case study  
   attitude enablement, 148  
   case-control study, 219  
   CLAS standards, 146–47  
   cockroach problem 3–4, 8, 13, 14–15  
   cohort study, 217  
   colon cancer, 181–82, 185, 191–92  
   community group work, 267  
   community health, 248–49  
   contaminated food prevention, 3, 8, 13, 14–15  
   counterfeit medications, 72  
   cultural diversity, 135–36, 138, 139, 142, 145, 149  
   demographic characteristics, 231  
   determinants of health at community level, 123  
   determinants of health at global level, 128  
   determinants of health at state/national levels, 125  
   economic principles, 100–101  
   error reduction, 220–21  
   ethical dilemma associated with injected methamphetamine, 102–3  
   health promotion, 168, 170, 172–74  
   health status data, 236–38  
   healthy senior, 4, 8, 13, 14–15  
   healthy weight, 160–61  
   heart attack prevention, 3, 8, 13, 14–15  
   increasing cultural competency, 154

injected methamphetamine, 94–95, 97, 105–6  
 medication errors, 199–200, 205, 208–9, 211–14, 223  
 medication safety, 78, 83, 86, 87  
 objective data, 257–58  
 outbreak, 46–47, 51–52  
 outcome measures, 263  
 planning intervention, 262  
 population, 229  
 population health indicators, 113–14  
 priority health issue, 261  
 SARS, 56–57, 65–67  
 secondary prevention, 188–89  
 SOAPE framework, 255  
 student daily life, 37–38  
 U.S.–Mexico border, 111–12  
 vulnerable populations, 241  
 weight maintenance, 166–67  
 Census Bureau, U.S., 139, 228, 307  
 Center for Drug Evaluation and Research (CDER), 62  
 Centers for Disease Control and Prevention, 304, 323  
   communicable diseases, 38  
   disease reporting, 74  
   Healthy People 2010, 236  
   outbreak, 50  
   physical activity, 160  
   public health service, 60–62  
   tobacco cessation, 275, 278  
   vaccines and, 298  
 Centers for Medicare and Medicaid, 208  
 Chicken pox, 194–95  
 Child vaccine pamphlets, 298, 301, 302, 307  
 Children's health insurance programs (CHIPs), 77  
 Chloroform, 31  
 Cholera, 30, 33  
 Citizens, role of, 39–40  
 Civil Rights Act, Title VI, 134  
 CLAS (Culturally Linguistically Appropriate Services) Standards, 145–46, 153  
 Client assessment, 318  
 Clinical prevention, 2, 10–12  
 Clinical treatment, 2, 7–8, 10–11  
 Clinically used medications, abuse of, 84–85  
 Codes of Ethics, 95, 98–101, 107  
 Cohort study, 215–17  
 Collaboration, 249, 263–67  
 Collaborative group work, 269  
 Collaborative practice agreements (CPA), 295, 299  
 Collier's Weekly, 80  
 Colon cancer, 181–82, 185, 186, 188–89  
 Committee for Obesity Prevention, 309, 316  
 Communicable disease, 38  
 Communication networks, 124, 126  
 Community, 10, 97–98  
   -based education, 185  
   -based screening fair, 188–89  
   coalitions, 4–5, 325  
   culture, 278–79  
   disease prevention, 180  
   domestic violence data, 364  
   members, 15–16  
   opinion interview, 363  
   partner model to guide data collection, 250–51  
   residents, 250  
   review, 347  
   -specific cultural knowledge, 148  
   survey, 250–51, 255  
   vulnerable populations, 241  
 Community characteristics  
   disaster teams, 344–45  
   domestic violence, 364  
   obesity, 313  
   tobacco cessation, 276  
 Community group management, 263–67  
   phases, 265–67  
 Community health, 133, 247  
   center, 229, 313, 314  
   characteristics, 269  
   defined, 249–50  
   domestic violence, 370, 371  
   focus, 250  
   forum, 373  
   issues, 259  
   pharmacy role, 16–17  
   timeline, 253  
 Community Health Improvement Process (CHIP), 268  
 Community health worker, 309, 311, 312, 315, 316, 325  
 Community level  
   determinants, 120, 161  
   interventions, health promotion, 167–68  
 Community as Partner, 250, 267, 269  
 Competence types, 156  
 Contagious, 23  
   disease, 135  
   tuberculosis, 327  
 Continuum, health to death, 178–79  
 Correlational study, 210  
 Cost benefit analysis (CBA), 104  
 Cost-effectiveness, 98  
 Cost-effectiveness analysis (CEA), 104  
 Cost-of-illness (COI) studies, 104  
 Cost utility analysis (CUA), 104  
 Costs, 94, 107  
 Coumadin, 346  
 Counselor training, 281  
 Counterfeit Drug Task Force, 62  
 Counterfeit medications, 62, 72, 81–82  
 County health inspector, 37  
 CPR training, 295  
 Cross-sectional survey, 210, 213  
 Cultural beliefs, knowledge of, 148  
 Cultural clash, 155  
 Cultural competence, 134–35, 137, 155, 156  
   attitude barriers, 147–48  
   components, 156  
   interpreter services, 143–45  
   learning, 149–54

Cultural diversity, 141  
Cultural issue, 135–36, 324  
Culturally competent care, 146  
Culturally competent practice site, 153  
Culturally responsive service, 142–43  
Culture, 135, 136–37, 139, 153  
Cumulative incidence rate (CI), 206  
Curriculum, 18

## D

Data analysis, 259, 279–80  
Data collection, information, 101  
Data interpretation, 238, 259, 297, 280–81  
Death rates, 181  
Debriefing, 351  
Declaration of Alma-Ata, 115  
Demographic, 228  
    characteristics, 277  
    data, 229, 230, 243–44  
    vulnerable populations, 239–40  
Demographics, 242  
Department of Health and Human Services (DHHS), 346  
Deprived environment, 241  
Determinants, 114, 132  
    background, 115  
    community level, 119–22  
    individual level health, 117  
    person–environment interaction, 115–16  
    physical, 118  
    socioeconomic status (SES), 118  
    state and national level, 123–25  
Determinants of health, 115, 161, 176  
    global level, 126–28  
Diabetes, type 2, 194  
Diethylene glycol (DEG), 79  
Digoxin, 346  
Direct interactions, 14  
Directly observed therapy (DOT), 330–31  
Disaster, 356  
    assessment, 347  
    data, community, 345  
    deployment, 349  
    discussion, 353–54  
    emergency preparedness, 343  
    epidemiology, 342  
    evaluation, 351–53  
    implementation, 349–51  
    pharmacy, 357  
    planning, 347–48  
    preparing for deployment, 348  
    risk factors, 342–43  
    subjective data, 346–47  
    vulnerable populations, 354  
Disaster Medical Assistance Team (DMAT), 346–47, 348, 349, 351–52  
Disease  
    in Americas, 131  
    defined, 22–23, 202–3

    frequency, distribution, 205–9  
    incidence, prevalence, 113, 203  
    location, 204  
    management services, 238  
    natural history of, 7–8, 19, 22  
    occurrence, 204  
    public health and, 8–9  
    reporting, surveillance, 48, 74–75  
Disease prevention, 8, 178  
    community, 180  
    health promotion, 194  
    individual, 179  
    international, 180–81  
    state, 180  
Distributors regulation, 76  
Diversion, 82  
Diversity, population group, 139–40  
Doctors without Borders, 55  
Domestic violence, 359–60  
    assessment, 365–66  
    CDC, 371  
    coalition, 361  
    community forum, 361  
    community opinion interview, 363  
    discussion, 369–71  
    epidemiology, 360  
    evaluation, 368–69  
    health consequences, 360  
    implementation, 367–69  
    need determination for program, 372  
    objective data, 364  
    pharmacist's role, 373  
    planning, 366–67  
    risk factors, 360–61, 372–73  
    subjective data, 362  
Dopamine, 95  
Dose–response relationship, 35  
Downstream costs, 107  
Drug Enforcement Agency (DEA), 76  
Drug-resistant tuberculosis (XDR-TB), 38

## E

Ecological approach, 2, 20, 131  
Ecological framework, 162  
Ecology  
    defined, 13–14  
    individual–environment interaction, 14  
Economic analyses, 104  
Economic basis, 107  
Economic characteristics, 232, 234  
Economic impact framework, 104  
Economic issues, 103–6  
Economics, 93, 119, 121  
Education, 122, 240  
Educational attainment, 118  
Elixir of Sulfanilamide, 79, 80  
Emergency medical services (EMS), 346  
Emergency preparedness, 341  
Emergency response, 343

- Employee smoking cessation program, 282–83, 285
- Endemic, 208, 332
- Environment, 39
  - as disease source, 13
  - and health, 175
  - changing, 286
  - defined, 13
  - direct and indirect interaction, 14
  - individual interaction with, 14
- Environmental impact, 77
- Environmental Protection Agency (EPA), 78, 86
- Epidemic, 25, 43, 184, 208, 330
- Epidemiology, 17–18, 26, 31, 197, 200, 209, 224
  - analytic, 214–15
  - case-control study design, 218–19
  - cohort study design, 215–17
  - defined, 12
  - defining disease, 202–3
  - descriptive, 210–11, 226
  - disease location, 204
  - disease occurrence, 204
  - domestic violence, 360
  - experimental study design, 220
  - obesity, 310
  - origins, evolution of, 201–2
  - outbreak size, 203
  - public health and, 12
  - public health roles, 221–23
  - reason for occurrence, 204
  - statistics, 12
  - tobacco use, 34, 275
  - tuberculosis, 327
  - who affected by, 203
- Essential medication, 132
- Ethical dilemma, 101–3, 107
- Ethical issue, 101
- Ethical practice, public health, 100
- Ethics, 93, 95–98
- Ethnic identity, 138
- Ethnicity, 139
- Evacuated, 346
- Evidence-based interventions, 221–22
- Experimental study, 209
  - design, 220
- Exposure, 8
- Exposure-to-disease timeline, 201
- Extensively resistant tuberculosis (XDR-TB), 328, 338
- Extra-Strength Tylenol, 81
- F**
- Federal medical teams, 357
- Federal poverty level, 364
- Federal Tort Claims Act (FTCA), 353
- “First receivers,” 343
- First responder, 343
- Focus groups, 285
- Food and Drug Act, 89
- Food and Drug Administration (FDA), 5, 60, 62–63, 69, 73, 80
- Food supply, 26–28, 39, 42, 121
- Food, Drug and Cosmetic Act (FD&C Act), 79, 90
- Formative analysis, 340
- Formative evaluation, 326
- Form preparation, 299
- Forum
  - agenda, 367
  - setting, 367
- Framework
  - conceptual, 116–17
  - describing community culture, 151
  - health determinants, 116
  - learning about culture, 150
  - learning cultural competence, 147–49
  - SOAPE, 247
- Framingham Heart Study, 215
- Funding, obesity, 317
- G**
- Gas anesthesia, 31
- Global climate change, 39
- Global collaboration, 57
- Global determinants of health, 126–28
- Global environmental change, 126
- Global level determinants, 161
- Global level intervention, 170
- Global network, 55–56
- Global pandemic, 38
- “Good Samaritan” laws, 353
- Government, 15, 125
  - regulation, 90
  - role of, 39–40, 42
- Great American Fraud, The*, 80
- Greece, 500 BC to AD, 26–28
- Group learning, 268
- Guided reflection, 153
- H**
- Hand washing, 165
- Health, 97, 240
  - defined, 7, 19
  - WHO’s definition of, 6
- Health boards, 30
- Health Canada, 65
- Health care, 5
  - personnel, 15, 292
  - work and research, guiding principles, 96
- Health department, 47–48
- Health determinant, 110
  - defined, 131
  - summary by level, 127
- Health disparities, 140–42, 322
- Health education, 162–63, 176
- Health ethics, 107
- Health and Human Services, U.S. Department of, 145
  - background, 60

- major agencies of, 61
- mission, 59–60
- Health improvement, 19
- Health indications, community, 133
- Health insurance, health systems, 125
- Health Insurance Portability and Accountability Act (HIPAA), 75, 331
- Health laws, historically important, 78
- Health monitoring, 221
- Health Officer, 63–64, 70
- Health profiles, 235
- Health promotion, 8, 159, 162, 178
  - activities, locations for, 170–71
  - community role, 170–74
  - defined, 176
  - disease prevention, 194
  - education and, 162–64
  - interventions, 164–70, 174
  - primary prevention and, 184
- Health Resources and Services Administration (HRSA), 60, 62
- Health risk factors, 289
- Health risk reduction, 286
- Health services data, 235
- Health status, 10
  - data, 242, 243
  - information, 228
- Health-to-death continuum, 179, 182
- Healthy living conditions, 130
- Healthy People 2010, 236, 275, 292, 327
- Hispanic culture, 155, 156
- Historical timeline, 27
- HIV/AIDS, 195, 327
- Housing, 121
- Human Genome Project, 202

## I

- ICD-10-CM, 207
- Immediate costs, 107
- Immunization, 292, 293
- Implementation, SOAPE, 261
- Incidence, 48, 112, 205, 206
- Incidence density (ID), 206–7
- Incidence rate (IR), 181, 206–7
- Incident Command System (ICS), 348
- Indian Health Service (IHS), 210, 236, 354
- Indirect interactions, 14
- Individual approach, 10–11
- Individual disease prevention, 179
- Individual level determinants, 161
- Individual level interventions, 164–67
- Ineffective medications, false claims, 79–80
- Infant mortality rate, 112, 132
- Infant vaccine pamphlets, 298, 301, 302, 307
- Infectious disease, 23–24, 38
  - influence on societies, 41
  - reporting form, 49

- Influenza
  - mortality, morbidity, 292
  - vaccination rates, 292
- Informal polls, 279
- Information methods, 150, 152
- Initial analysis, performing, 105
- Injectable drug abuse (IDA), 92, 96
- Injected methamphetamine, 102–3, 105–6
- Innovation, 175
- Inoculation, 23, 25–26
- Inpatient smoking cessation program, 281, 282, 283, 284–85
- Institute of Medicine (IOM), 15, 84, 268
  - Committee on Public Health, 15, 16
- International Classification of Disease, 10th edition (ICD-10), 207
- International disease prevention, 180–81
- International Federation of Red Cross and Red Crescent Societies (IFRC), 55, 56
- International Health Regulations (IHRs), 73
- International Medication Products Counterfeiting Taskforce (IMPACT), 62
- International public health network, 52–56
- International travel, 50
- Interpreter models, 143–45
- Intervention, 134, 160, 281–82
  - funding, 222
  - health promotion, 164–70
  - individual health promotion, 166
  - level of, 176
  - outcomes and evaluations, 166
  - tertiary prevention, 190
  - to increase resistance, 184
  - to reduce exposure, 184
- Interview data, 259
- Isolation, 51, 74
- Issue, framing, 101–2

## J–K

- Jacobson v. Massachusetts*, 74
- Justice, 96
- Kefauver–Harris Drug Amendment, 80
- Key informant, 311, 362
  - domestic violence, 365
  - interview guide, 311–12
  - interview, obesity, 314, 315
  - questionnaire, 312
- Knowledge, 148–49, 156–57
  - health education, 163
  - how-to, 164
  - underlying principles, 164

## L

- Landmark pharmacy laws, 78–79
- Language, 138
  - access services, 146
- Latent tuberculosis, 326, 337
  - monitoring service, 340

Law  
 as tool, 72  
 historically important, 78  
 sources of authority, 73  
 to mandate, enforce behaviors, 73–75  
 unsafe medication use, 85  
 vulnerable people, environments, 76–78

Learning structure, 153

Leprosy, 29

Levels of prevention, 182–83, 194–96  
 primary, 183–84

Liability, 353–54

Life expectancy, 112, 131

Life-long immunity, 23

Lifestyle change, 323

Lifestyles, 160

Linguistic proficiency, 138

Literature review  
 disaster, 347  
 obesity, 314–15  
 search, 279  
 tuberculosis, 331–32

Local emergency planning committee (LEPC), 345

Local government, 122

Local health promotion, 176

Local public health structures, functions, 64

London cholera epidemic (1848), 30–32

Long-term perspective, obesity, 322

Lost productivity, 94

L-thyroxine dosage, 199–200

Lung cancer, 34–35

*Lydia E. Pinkham's Vegetable Compound*, 79

## M

Manufacturers regulation, 76

Master of Public Health (MPH), 64

Master Settlement Agreement (1998), 36, 275

Median income, 364

Medicaid, 36, 77, 235, 280

Medical clinic data, 297

Medicare, 77, 235, 300

Medication error, 84, 198–200  
 defined, 198–99

Medication safety, 78

Medication use, 71–72  
 domestic violence, 369  
 effective, 129

Medications, 129  
 access to, 5  
 assuring safe and effective, 5  
 disposal of, 6, 87  
 essential, 132  
 faulty or dangerous, 79–80, 83  
 inappropriate disposal of, 86–87  
 safe use of, 6

Medicine label evolution, 81

MedWatch, 62

Methamphetamine, 93, 94–95

Miasma, 30, 32

Middle Ages, 500 AD to 1500, 28–30, 40, 43

Monetary values, 105

Morbidity, 45, 112, 113, 178, 207, 274, 292

Mortality, 45, 178, 207, 237, 274, 292

Mortality rate, 112, 207–8, 235  
 maternal, 112–13

Motivational interviewing, 333

Multicomponent, smoking cessation, 35–36

Multi-drug resistant tuberculosis (MDR-TB), 328, 338

Mutual Recognition Agreement (MRA), 76

Mycobacterium tuberculosis, 38

## N

National Association of Boards of Pharmacy (NABP), 83

National Cancer Institute, 181

National Center for Health Statistics (NCHS), 208, 228, 307

National Coordinating Council for Medication Error Reporting and Prevention (NCCMERP), 198

National determinants of health, 125

National Disaster Medical System (NDMS), 346

National disaster response teams, 344–45, 355

National disease prevention, 180

National identity, 138

National interventions, health promotion, 169–70

National level determinants, 123–25, 161

National Pharmacist Response Team (NPRT), 346

Natural disasters, 45, 342

Needle exchange program, 96

Needs assessment, 286, 289

Neighborhood interventions, 171

New program evaluation, 102

Nicotine replacement treatment (NRT), 277

Nightingale, Florence, 41

Nineteenth century, 30–34

Non-governmental organizations, 55, 70

Non-maleficence, 96

No-smoking ordinance, 18

Notifiable diseases, 48

Nutrition education, 318

## O

Obesity  
 assessment, 314–16  
 cultural issue, 324  
 data interpretation, 316  
 discussion, 321–22  
 epidemiology of, 310  
 evaluation, 320–21  
 implementation, 317–20  
 literature, 312  
 objective data, 313–14  
 planning, 316–17  
 preventable morbidity and mortality, 310  
 risk factors, 310, 324  
 subjective data, 311–12

- Obesity prevention
    - Latino community, 310–11
    - objective data, 324
    - pharmacist and, 325
  - Objective data, 288, 362
  - Observational data collection, 256–57
  - Observational epidemiology, 226
  - Observational study, 209, 224
  - Odds ratios, 218–19, 225
  - Office of Minority Health, 145
  - Omaha System, 324
  - On-demand vaccination service, 302, 303–4, 307–8
  - One-day flu shot event, 301, 302, 308
  - Opinion survey, 253, 254
    - data summary, 260
  - Options
    - consideration, 102
    - implementing, 102
  - Organizational phase, 266
  - Organizational supports, 146
  - OSHA standards, 299
  - Outbreaks, 45–47, 203
  - Outcome, 165
    - measures, 262
  - Outcomes evaluation
    - community health promotion intervention, 168, 170
    - primary prevention, 184
    - tertiary prevention, 190
  - Oxfam International, 55
- P**
- Pan-American Health Organization (PAHO), 54–55, 70, 170
  - Pandemic, 52, 208
  - Patent medicines, 79
  - Pedigrees, 82
  - Perpetrators, 361, 364–66
  - Personal health information (PHI), 75
  - Personal movement restriction, 74
  - Personal planning, 347
  - Person–environment interaction, 115, 132
  - Pharmaceuticals, 90
  - Pharmacist
    - administered vaccine laws, 295
    - determinants of health, 128–30
    - disaster, 343, 356
    - domestic violence role, 373
    - immunizations and, 308
    - prevention and, 192–93
  - Pharmacoepidemiology, 202, 226
  - Pharmacy, 5–6
    - advocates for expanded role, 16
    - based TB service, 340
    - community health expanded role, 16–17
    - local to global roles, 67–68
    - practice acts, 76
    - public health role, 16
  - Pharmacy Boards, 75
  - Pharmacy services, 90
    - evaluation, 357
  - Pharmacy students, interns, 304
  - Phase IV study, 80
  - Physical activity, 160, 318, 320
  - Physical environment, 121
  - Planning, SOAPE, 261
  - Pneumonia mortality, morbidity, 292
  - Poison Prevention Week, 192
  - Police power, 73
  - Poliomyelitis outbreak, 69
  - Population
    - approach, 11, 13, 19
    - community level data, 228–29
    - comparison, 230
    - defined, 9
    - demographic description of, 229–34
    - demographics, 276
    - health, 4
    - health indicators, 112–14
    - health status description, 235–38
    - level data, 212, 228
  - Population characteristics, 293–94
    - domestic violence, 364
    - obesity, 313
  - Population group, 227
    - diversity, 139–40
  - Population pyramid, 230–31, 232, 233, 244–45
  - Portion size, 324
  - Post-exposure prophylaxis (PEP), 187
  - Post-marketing surveillance, 80
  - Post-traumatic stress disorder (PTSD), 118
  - Potentially dangerous behavior, 90
  - Poverty, 131, 241
  - Prescription Drug Marketing Act (PDMA), 82
  - Prevalence, 205–6
  - Prevalence rate, 48
    - formula, 206
  - Prevention, 193
    - levels of, 182–83
  - Primary care, 115, 122
  - Primary health care services, 5
  - Primary prevention, 183–84
  - Priority health issue, 259, 260
  - Problem understanding, 265–67, 270
  - Procedures for group meetings, 264
  - Process
    - evaluation, 102
    - measures, 262
  - Productive collaboration, 263
  - Program
    - evaluation, 289
    - feasibility, 280
    - structure, obesity, 317
  - Prospectively, 214
  - Protocols, 299
  - Psychological factors, 118–19



Public health, 17  
activities, 18  
compared to individual approach, 11  
defined, 4–5, 19, 22  
history, 41  
importance of economic issues, 103–6  
organizations, 126  
overview, 2–4  
policies, laws, 222  
principles, 99  
problems, 221  
responsibility for, 15–16  
work, research, 97–98  
Public Health Service, 69, 354  
essential, 47  
Public health system, 125  
within countries, 57–58  
Public transportation, 241

## Q

Quack medicines, 80  
Quality-adjusted life year (QALY), 94, 104  
Quarantine, 25, 30, 74  
Queen Victoria, 31  
Question, framing, 104

## R

Race, 139  
Record keeping, 300  
Red Cross Disaster Services, 355  
Red Cross shelters, 350  
“Region of the Americas,” 54  
Rehabilitation, permanent disability, 190  
Reimbursement plan, tuberculosis, 333, 335  
Relative odds ratios, 218–19  
Relative risk (RR), 216–17, 225  
Relevant alternatives, 105  
Reportable disease, 48, 333  
Research, 221–22  
funding priorities, 222  
Resistant TB, 337  
Resource Conservation and Recovery Act (RCRA),  
78, 86–87  
Resources, 295–96  
limited, 103–4  
Results interpretation, 105  
Retail pharmacy immunization service  
assessment, 297  
background, 293  
evaluation, 302–4  
implementation, 301–2  
objective data, 293–96  
planning, 298–300, 307  
subjective data, 296–97  
Retrospectively, 214  
Risk factors, 360–61  
Robustness of initial results, 105  
*Role of Medicine, The*, 116

Roman health practices 400 AD, 28  
Rumors, 350–51  
Rural community  
defined, 248  
health implications, 248

## S

Safe medication use, 89  
Sanitation, 26–28, 39, 42, 121  
School enrollment, 297  
Scientific method, 26, 30–34, 42  
Screening, 186–87  
Secondary prevention, 186–89  
Secondary wholesalers, 82  
Self-administered therapy (SAT), 330  
Self-report surveys, 93  
Sensitivity training, 150  
Sentinel case, 49–50  
Sentinel event, 208  
Service options, 294–95  
Severe Acute Respiratory Syndrome (SARS), 45, 48,  
52, 126, 204  
case study, 56–57, 65–67  
retail pharmacy issues, 66, 68  
Skill, 137, 149  
Smallpox, 23–26, 41  
Snow, John, 31–34, 42, 43  
SOAPE framework (Subjective, Objective, Assess-  
ment, Planning, Evaluation), 247, 250, 252, 309,  
359  
assessment, 259–61  
community health timeline, 253  
community health vs. individual care, 252  
evaluation, 262–63  
objective data, 255, 258  
planning and implementation of intervention,  
261–62  
process, 267, 269  
shared framework, 252–53  
subjective data, 253–55  
Social characteristics, 232, 233  
Social environment, 122  
Social services, 122  
Stages of change, 318, 319  
Stakeholders, 274, 279, 296–97, 362  
State determinants of health, 125  
State disease prevention, 180  
State health department data, obesity, 313, 314  
State interventions, health promotion, 169–70  
State level determinants, 123–25, 161  
State public health, 63–64  
Strategic National Stockpile (SNS), 345  
Student health service, 329  
Student population, 329–30  
Subjective data, 288, 362  
Substance abuse, 93–95  
Supplies, 300  
Surveillance, 69



## T

- Target population, 183
  - health promotion, 165
  - health promotion intervention, 167, 169
- Task roles, 263
  - effective collaboration, 264
- Tertiary prevention, 189–92
- Thyroid stimulating hormone (TSH), 199–200
- Title VI of Civil Rights Act of 1964, 143, 145
- Tobacco cessation programs, 276
  - assessment, 279–81
  - data interpretation, 280–81
  - discussion, 286–87
  - evaluation, 284–85
  - implementation, 283
  - literature, 278
  - objective data, 276–78
  - planning, 281–83
  - subjective data, 278–79
- Tobacco control, pharmacist and, 289
- Tobacco use, 34–36, 274
  - interventions and control measures, 277–78
  - public health issue, 275
  - risk factors, 289
  - statistics, 277
- Training, 348
- Training personnel, immunizations, 298–99
- Translators, 143
- Treating to cure, 190
- Triage, 349
- Triangulating data, 297
- Tuberculosis (TB), 134, 135–36, 142–43, 327
  - assessment, 332
  - campus-based, 328–29
  - data collection, 339
  - epidemiology of, 327
  - evaluation, 335–37
  - implementation, 335
  - objective data, 329–31
  - planning, 332–33, 335
  - resistant strains, 328
  - screening, 334, 336
  - stigma, 328
  - subjective data, 331–32
  - treating latent, 337
  - treatment protocol, 334
- Twentieth century, 34–36
- Twenty-first century, 37

## U

- U.S. Constitution, 58, 90
- U.S. Consumer Product Safety Commission (CPSC), 62
- U.S.–Mexico border, 111
- U.S. Public Health Service (USPHS), 60, 74

- U.S. public health system
  - federal authority, 58
  - state and local authority, 58
  - structure of, 59–64, 69–70
- Uniformed Services Employment and Reemployment Rights Act (USERRA), 354
- United Nations, 53, 55
  - International Strategy for Disaster Reduction (UNISDR), 342
- Universal Declaration of Human Rights (1948), 97
- Unsafe medication, 79, 84–86
- Unsupervised use of potent medications, 84
- Unvaccinated residents, 294
- Urbani, Dr., 56

## V

- Vaccination, 291
  - area, 300
  - histories, 296
  - location for service, 305
  - schedules, 306
  - service, 304, 307
- Vaccine, 38, 300
- Vaccine preventable disease, 292
- Vaccines adverse events (VAES), 62
- Vaccines for Children (VFC), 300
- Verified Internet Pharmacy Practice Sites (VIPPS), 83
- Violence, 126
- Voluntary collaboration, 52
- Voluntary participation, 53
- Vulnerable populations, 54, 245, 354
  - characteristics of, 239–41
  - environments, 76–78

## W

- W.I.C. (Women, infants and children), 163
- Washington, George, 24–26
- Water, 26–28, 39, 42, 121
  - supplies, 30–34
- Weight loss maintenance, 323
- Western biomedicine, 15, 150
- Western medicine and traditional healing, 155
- Workplace interest, tobacco cessation, 279
- World Health Organization (WHO)
  - access to medications, 5
  - as authority, 73
  - communicable disease, 51
  - counterfeit medications and, 82
  - death rate counts, 207
  - functions of, 53–54, 69, 70
  - global interventions, 170
  - health definition, 6
  - public health organizations, 126
  - regional offices of, 54
  - socio-economic status, 118, 161
  - tuberculosis and, 327