

A

- Acrylic glove box, 77
- Active pharmaceutical ingredients (APIs), 4, 20, 23, 59, 88, 107
 - compounding policies for, 107-117
 - manipulation of, 90
 - storage of, 23, 107
 - weighing of, 113
- Administration, of hazardous drugs, 9, 131-133
 - personal protective equipment for, 39
- Administrative controls, 17
- Agent additions, 3
- Air changes per hour (ACPH), 85, 91
- Airborne exposure, 49
- Alcohol, 136, 137
 - application, 115
 - gel, 116
 - spray, 115
- Alert on Preventing Occupational Exposure to Antineoplastic and Other Hazardous Drugs in Health Care Settings*, 3
- Alternative containment, 27, 36
- Ambulatory patient finished dosage forms to, 128
- American Society for Testing and Materials (ASTM)
 - D6978, 35, 42-44, 56, 152
 - F739, 42, 44
- American Society of Heating, Refrigerating, and Air-Conditioning Engineers (ASHRAE), 74, 76, 110
- Anterooms, 37-38, 78, 94-95, 96, 99
- Antineoplastic agents, 19, 23, 27
 - compounding, 64, 88, 97-98
 - compounding policies, 107-117
 - CSDTs and, 83
 - gowns and, 44-45
 - injectable, 61
 - manipulation of, 90
 - storage and compounding, 64
- Appendix 1: Acronyms, 9
- Appendix 2: Examples of Design for HD Compounding Areas, 10
- Appendix 3: Types of Biological Safety Cabinets, 10
- Aseptic technique, 153-154
- ASHP, 3
 - Guidelines on Handling Hazardous Drugs*, 18, 107, 146
 - Technical Assistance Bulletin on Handling Cytotoxic and Hazardous Drugs*, 18
- Assessment of Risk, 12, 13, 19, 23-28
 - allowances, 24
 - approach to, 23-24
 - HD inclusions, 24
 - reporting, documentation, 27
 - review, 27
 - spreadsheet, 24, 25-26
- Automated counting, packaging machines, 27
- Automated dispensing cabinets, 65, 127
- Azathioprine, 126

B

- Bacillus Calmette-Guérin, 114, 117
- Batching chemo pre-meds, 78
- Beta-lactam antibiotics, 3
- Bevacizumab, 20
- Beyond-use date, 77, 79, 90, 95-96, 104, 121
- Biological safety cabinet (BSC), 5, 28, 40, 72, 77-81, 124, 164-165
 - Class II, 162
 - Class III, 163
 - classes, 79-80
 - double-gloving and, 43, 44
 - exhaust, 80, 96
 - nonsterile compounding in, 74, 75
 - respiratory protection for, 49
 - sterile compounding in, 76
- Bleach, 136, 137
- Breast-feeding employee, 29
- Broken containers, 56, 58

- Buffer room, 94, 96
 - drug storage, refrigerators in, 67
 - garb in, 55
 - Bulk packaging, 5
- C**
- Capsule opening, 124
 - Carcinogenic drugs, 19
 - Carmustine, 44
 - Carousel storage, 65
 - Cart pass-through, 93, 101-102
 - Ceiling caulking, 97
 - Centers for Disease Control and Prevention (CDC), 35
 - Centers for Medicare & Medicaid Services (CMS)
 - Hospital Conditions of Participation, 21
 - Cetuximab, 20
 - Chemotherapy administration, shoe covers, 47
 - Chemotherapy bag, 127
 - packaging, 54, 55
 - Chemotherapy gloves, 28, 35-36, 39-43, 56, 128, 163
 - changing, 44
 - permeability of, 44
 - Chemotherapy gowns, 44-45
 - Chemotherapy hood, 32
 - cleaning, 135
 - Chemotherapy items check, 114
 - Chemotherapy preparations, 29
 - Chemotherapy vial storage, 63
 - Classified room, 89
 - Cleaning, 135-138, 154
 - guidelines, 136
 - monitoring, 138
 - Cleanroom, 79, 89, 96, 146
 - Cleanroom suite, 71, 77
 - Clonazepam, 21
 - Closed system drug-transfer devices (CSTDs), 4, 71, 83-84, 115-116
 - compounding in, 84
 - nursing and, 132-133
 - Coated tablets, capsules, 18
 - Community pharmacies, 11
 - NIOSH list and, 74-75
 - storage in, 67
 - Competence
 - checklist, 156-157
 - documentation, 31-32
 - Competence Assessment exam, 158-160
 - answer key, 161
 - Competence Assessment Tools for Health-System Pharmacies*, 31-32, 133
 - Compliance, 4, 11
 - enforcement, 14
 - Compounding, 9, 37, 151
 - area design, 104-105
 - covered, 11
 - noninjectables, 162
 - powders, 38
 - precautions, 152
 - procedures, 154
 - training, 31-32
 - Compounding aseptic containment isolator (CACI), 5, 38, 40, 72, 77-81, 97
 - CSTDs and, 83
 - double-gloving in, 43, 44
 - not externally vented, 75
 - respiratory protection in, 49
 - sterile compounding in, 76, 78
 - Compounding facilities design, 82-93
 - minimum requirements, 85-87
 - Compounding isolator, 40, 101, 163-165
 - ante-chamber, 101
 - Conjugated monoclonals, 20
 - Container
 - broken, damaged, 56, 58
 - identification, 58
 - labeling, 54
 - Containment, 123
 - precautions, 28
 - strategies, 4-5, 17, 23
 - Containment primary engineering control (C-PEC), 37, 38, 71, 72
 - certification, 93-94
 - cleaning, 137
 - environmental monitoring, 139-141
 - hood, 92
 - nonsterile compounding in, 73-76
 - sterile compounding in, 76-81
 - Containment secondary engineering control (C-SEC), 71, 72-73, 93-99
 - certification, 93-94

Containment segregated compounding area (C-SCA), 4, 54, 64, 73, 87-90, 96, 98-100
 donning, doffing order from, 41
 perimeter for, 99-100
 sink placement and, 92

Containment ventilated enclosure (CVE), 54, 71, 72, 74, 94, 98

Contaminated products, 18

Contamination, 140-141

Controlled Environment Testing Association (CETA), 74, 95

Application Guides, 94

Corrugated cardboard, 115

Counting, 28, 124

Counting tray, 126

Cyclophosphamide, 140

D

Damaged containers, 56, 58

Deactivating, Decontaminating, Cleaning, and Disinfecting, 9

Deactivation, 136, 137, 154

Decontamination, 128, 135-138, 154
 agents, 136

Designated person, 30-31, 140, 147
 training, 31

Developmental toxins, 19

Diclofenac gel, 21

Direct skin/eye contact, 154, 166

Disinfecting agents, 136

Disinfection, 135-138

Dispensing, 127-128

Dispensing Final Dosage Forms, 8

Disposable personal protective equipment, 40

Disposal, 143, 154

Documentation and Standard Operating Procedures, 9

Doffing, 35, 38, 114
 area, 98, 100
 order, 41-42

Donning, 35, 38
 order, 41-42

Double-gloving, 28, 43

Drug

assay, 140

classes, 24, 28

returns, segregating, 67

transport to infusion area, 39

Dual shoe covers, 47

E

Elastomeric half-mask, 36, 56

Elimination, 17

Emergency situations, 13, 116-117

Employee

acknowledgment of risk by, 29

consent form for, 34

health issue and, 29

Enforceable standard, 1

Engineering controls, 17, 71

Entity, 3, 11, 15

Environmental monitoring, 139-141

Environmental Protection Agency (EPA), 3, 14, 76, 143

Environmental Quality and Control, 8

Environmental Services

floor cleaning by, 135

personnel of, 14

Estrogen, 56

Exhaust air, 96

Exposure types, 17-18

External shipping containers, 58

External venting, 74, 89

Eye contact, direct, 154, 166

Eye protection, 48, 154

Eye wash station, 152

Eyeglasses, 48

F

Face shield, 48

Facilities, 15

design of, 82-93, 152

Facilities and Engineering Controls, 7

Feeding tube administration, 132

Final dosage form, 17-18, 20, 27

Finasteride, 21

Finished dosage form, 113, 125-126
 to ambulatory patients, 128

Finishes, 104-105

Fixed walls, 87

Flammable cabinet, 61, 64
 Flexible wall surface, 87
 Floor decontamination, 137
 Fluconazole, 56
 Fluorouracil, 140
 as cream, 27, 61
 Food and Drug Administration (FDA), 14, 20, 33
 cleared devices, 84
 Fosphenytoin, 116
 as infusion, 13

G

Gap analysis, 147
 Genotoxins, 19
 Germicidal agents, 136
 Glossary, 9
 Gloves, 42-44
 changing, 131
 Good Distribution Practices, 12
 Gown, 44-47, 164
 changing based on permeation information, 46
 impervious, 39
 permeability of, 44
 Guideline, 12

H

Hair covers, 47
 Hand hygiene, 35
 Hand washing, 56, 116
 Handling
 hazardous drugs, 13
 noninjectables, 162
Handling of Hazardous Drugs, 133
 Hazard Communication Plan, 33
 Hazard Communication Program, 8
 Hazardous chemical, 33
 Hazardous drug, 18, 151-152
 types of, 19
 Hazardous waste, 14, 143
 Hazmat, 146
 HEPA filters, 72, 73
 redundant, 74
 Home care HD pumps, 121
 Home healthcare workers, 15

Hospital list, 19, 23-24

I

Ifosfamide, 140
 IM methotrexate, 132
 Injection storage, 60
 International Standards Organization (ISO) 7, 63, 94,
 97, 113, 153
 cleanroom, 5, 89
 positive pressure anteroom, 87
 Introduction and Scope, 7
 Inventory, 59
 Investigational drugs, 21
 Isolation gowns, 45
 Isolator glove, 43

J

Joint Commission, 12

L

Labeling, 20, 112, 114
 Labeling, Packaging, Transport, and Disposal, 8
 Laminar air flow hood, 75, 77
 Laminar air flow workbench, 77, 78
 Lidded plastic storage bins, 68
 Life cycle of hazardous drug, 73
 List of Hazardous Drugs, 7
 Literature, 12
 Lot number records, 116
 Low volume, 4, 90
 exemption, 103-104
 Low-lint wipes, 115

M

Mail-order pharmacies, 11
 Manipulation, 13, 24, 27, 124-125
 Manual packaging, 27
 Manual repackaging, 13
 Manual unit-dose system, 123
 Manufacturers, 15
 Manufacturing personnel, 11-12
 Medical Surveillance, 9

Medical Surveillance for Health Care Workers Exposed to Hazardous Drugs, 29, 30

Medical surveillance program, 29, 155

Megesterol, 20-21

oral suspension, 27-28

Methotrexate, 55, 66, 140

as tablets, 28, 61, 75, 112

for ectopic pregnancy, 117

in emergency room, 113

Microbial monitoring, 139

Misoprostol, 124

Mitomycin for ophthalmic use, 117

Modular cleanrooms, 87

Modular design, 96

Monoclonal antibodies (MABs), 20, 24

Mortar and pestle, disposable, 116

Must, use of, 4

N

N95 respirator, 38, 49, 50

Nasogastric tube tablet crushing, 125

National Institute for Occupation Safety and Health (NIOSH), 3, 12, 14, 29, 124, 143

Alert on Preventing Occupational Exposure to Antineoplastic and Other Hazardous Drugs in Health Care Settings, 18

Hierarchy of Controls, 17

list, 3, 18-19, 28, 60, 74, 76, 78, 113, 128, 131, 147, 152-152

list updates, 19

performance protocol for CSTDs, 84

Negative buffer room door, 97

Negative pressure area, 56, 78-79, 88-89, 92

HD opening in, 53

Negative pressure cabinet, 62, 64

Negative pressure cleanroom, 104

Negative pressure room, 4-5, 37-38, 59-60, 87, 90-91, 96-97

access, 92

inventory transport and, 66

oral, injectable HDs and, 67

range, 87

requirements, 85

storage in, 65-66

Negative pressure technique, 116, 118-119

New drug, 18-19, 32

Night nursing supervisors, 32

Non-antineoplastic drugs, 19, 24, 28, 42, 97

oral solutions of, 112

packaging of, 68

storage of, 65

Nonsterile compounding, 39, 88, 152-153

C-PEC and, 73-76

PPE and, 42

Nonsterile hazardous drugs, 17

non-antineoplastic compounding, 88

NSF Certified Biosafety Cabinetry, 72, 77

NSF/ANSI Standard 49, 80, 93

Nurses, 14

Nursing

competencies, 133

CSTD use and, 84

station, 11

unit storage area, 66

Nursing home, 11

O

Occasional nonsterile compounding, 74, 91

Occupational exposure limits, 33

Occupational risk, 12

Occupational Safety and Health Administration (OSHA), 3, 33, 152

direct skin or eye contact and, 166

Hazard Communication Standard, 33, 53

respirator fit-testing and, 50

Safety and Health Topics, 12

training, 129

Occupational safety plan, 29, 37

OMB, 84

On-call pharmacist, 117

Oncology Nursing Society, 3, 29, 133

Oncology support medication, 64

Oral antineoplastic agents

counting of, 69

packaging of, 68

Oral hazardous drug, 61-62

administration of, 131

Oral tablets, 123

Organotoxins, 19

Outpatient infusion, 133

Outpatient pharmacy, 15

Oxytocin
 drip, stat, 132
 pre-mixed, 133

P

Packaging hazardous drugs, 28, 36-37, 60, 68-70, 123-126
 large quantities and, 64
 of non-antineoplastics, reproductive hazards, 68
 Packaging machine, 125
 Parenteral administration, 131
 Pass-through chamber, 92-93, 101-102
 Pass-through refrigerator, 93, 101-102, 103
 Pass-through window, 101
 Patient carts, 129
 Patient counseling, 38
 Patient-specific antineoplastic doses, 124
 Personal protective equipment (PPE), 8, 17, 153-154
 administration and, 131
 cleaning and, 135
 donning, doffing order for, 41
 eye protection and, 48
 generally, 35-42
 gloves and, 42-44
 gowns and, 44-47
 hair covers and, 47
 handling precautions and, 126
 receiving personnel and, 56
 respiratory protection and, 49-51
 reuse of, 40
 shoe covers and, 47
Personal Protective Equipment for Health Care Workers Who Work with Hazardous Drugs, 36, 37
 Personnel, 14
 training of, 32
 Personnel Training, 8
 Pharmaceutical wholesalers, 12
 Pharmacist checking, 37-38
 of formulation, 40
 Pharmacy delivery drivers, 14
 Phosphenytoin, 24
 Physician practice nurses, 14
 Plastic curtains, drapes, 87, 96
 Plastic pouches, 132
 Plastic-backed preparation mat, 114-115
 Platinum-based agents, 140

Pneumatic tube, 66, 128, 129
 Positive pressure area/room, 53, 84
 Powder hood, 54, 71, 74-77, 94, 124
 Powders, 17, 107
 Predominant air, 91
 Pre-filters, 74
 Pregnant employee, 29-30
 Pre-meds, 77
 Pre-packaging, 123, 124
 Pre-saturated gauze, 115
 Pressure gauges, 89
 Pre-sterilization areas for weighing powders, 94-95
 Primary engineering control (PEC), 32, 88
 placement of, 85
 Printer, 104
 Protective gowns, 36

Q

Quality assurance, 139
 Quality control, 139, 141

R

Raw material, 107
 Ready-to-use dosage, 27-28, 125, 126
 Receiving, 8, 56-57
 of hazardous drug shipments, 58
 Receiving area, pressure monitoring, 55
 Receiving personnel, 36
 elastomeric half-mask for, 50
 personal protective equipment for, 56, 58
 training of, 53-58
 Redundant HEPA filters, 74-75
 References, 10
 Refrigeration, 63
 Refrigerator, 104
 placement of, 65, 102-103
 Regulations, 14
 Reproductive capability, 33
 Reproductive hazards, 19, 24, 97, 132
 packaging of, 68
 storage of, 65
 Reproductive toxins, 19
 Resource Conservation and Recovery Act (RCRA), 154-155

Respirator, 38, 49, 50, 154
 Respiratory protection, 36, 38, 49-51
 fit-testing for, 50
 Responsibilities of Personnel Handling Hazardous
 Drugs, 7
 Reusable gown service, 46
 Reusable mops, 138
 Revisions, 1
 Rituximab, 20
 Robotic transport, 129
 Roll-up door, 93
 Rusty hood, 138

S

Safe Handling of Hazardous Drugs, 29, 30
 Safety Data Sheet, 33, 145
 Saline vials, 64
 Scope, 4, 11
 Segregated room, 79
 Separate, 88
 Shelving, 104
 Shoe covers, 47
 Should, use of, 4
 Signage, 61
 Single dose liquidation preparation, 75
 Sinks, 104
 placement of, 92
 Skin contact, direct, 154, 166
*Small Entity Compliance Guide for Employers That
 Use Hazardous Chemicals*, 33
 Sodium thiosulfate, 136, 137
 Solid final form, 33
 Solid oral antineoplastics, 123
 packaging of, 68
 Spill action plan, 147-148
 Spill cleanup, 40, 146, 165-166
 Spill Control, 9
 Spill drill, 146, 147
 Spill kit, 145-146, 165
 Spills, 145-148, 154
 eye protection and, 48
 respiratory protection and, 51
 Spray bottles, 115
 Standard, 12
 Sterile 70% isopropyl alcohol (sIPA), 43
 Sterile chemotherapy gloves, 43, 44

Sterile compounding, 39, 153
 C-PEC, 76-81
 Sterile hazardous drugs, 17
 Storage, 59-67
 of investigational drugs, 21
 Substitution, 17
 Supplemental engineering control (SEC), 71, 72, 73
 cleaning, 88, 136
 Supplier packaging, 58
 Suppliers, 15
 Supply chain personnel, 11-12
 Surface
 finishes, 93
 sampling, 139, 140
 Surgical masks, 49, 50

T

Tablet
 crushing, 18, 112, 124
 crushing by nurse, 131-132
 cutting, 5
 solutions, 18
 splitting, 112
 Tackle box transport, 66
*Technical Assistance Bulletin on Handling Cytotoxic
 Drugs in Hospitals*, 3
 Teratogenic drugs, 19, 20
 Thiotepa, 44
 Topical cream/drug, 21, 113
 Totes
 delivery in, 55
 use of, 56
 Transport, 36, 128, 129
 Trash removal, 39
 Types of Exposure, 7

U

Unclassified room/space, 89, 91
 Un-gowning area, 98, 100
 Uninterrupted power source ventilation, 105
 Unit dosing, 123
 Unit-dose methothrexate tablets, 75
 Unit-dose package, 28, 68
 administration, 128

- Unit-dosing, 28
 - of liquids, 125
- Unit-of-dose antineoplastic receipt, 55
- Unit-of-use packages, 68
- Unpacking, room, 54
- USP <795>, 4, 11
 - training, 32
 - wording in, 13
- USP <797>, 4, 11, 29, 33, 152
 - facilities design, 85-86
 - gown reuse, 45
 - training, 32
 - wording in, 13
- USP Compounding Compendium*
 - hazardous drugs in, 1
 - subscription to, 1
 - updates for, 1

V

- Valproic acid, 116
- Vented to the outside, 89
- Ventilation alarm, 81
- Venting, 73-74, 76, 78
- Vial, 20
- Volatile agents/vapors, 62, 74
- Volunteers, 129

W

- Wall requirements, 87
- Warfarin, 24, 56
 - tablet cutting/splitting, 125
- Washable gowns, 45
- Waste hauler list, 20
- Wholesaler, 15, 56
 - tote opening, 54
- Wipe sampling, 138, 140, 141
- Wording, 13
- Work gloves, 36
- Work practices, 23, 36, 154-155