






## APPENDIX B

# Naloxone Product Comparison



### Appendix B. Naloxone Product Comparison

	Injectable (and Intranasal-IN) Generic	Intranasal Branded	Injectable Generic <sup>a</sup>	Auto-Injector Branded	
<b>Brand name</b>		Narcan Nasal Spray		Evzio Auto-Injector	
	<b>Product comparison</b>				
			 (Product not yet released <sup>b</sup> )	 (yellow & purple)	 (blue & purple)
<b>FDA approved</b>	X (for IV, IM, sub-Q)	X	X	X	
Labeling includes instructions for layperson use	X	X		X (Formulation to be discontinued <sup>c</sup> )	
<b>Assembly required</b>	X				
<b>Fragile</b>	X				
<b>Can titrate dose</b>	X		X		
<b>Strength</b>	1 mg/mL	4 mg/0.1 mL	2 mg/0.1 mL	0.4 mg/0.4 mL	
				2 mg/0.4 mL (continued)	

## Appendix B. Continued

	Injectable (and Intranasal-IN) Generic	Intranasal Branded	Injectable Generic <sup>a</sup>	Auto-Injector Branded
<b>Storage requirements</b> (All protect from light)	Store at 59–86 °F Fragile: Glass	Store at 59–77 °F Excursions from 39–104 °F	Store at 68–77 °F Breakable: Glass	Store at 59–77 °F Excursions from 39–104 °F
<b>Cost/kit<sup>d</sup></b>	\$\$	\$\$	\$	\$\$\$

### Prescription variation

	Two	Two	Two	Two
<b>Rx and quantity</b>	#2 2-mL Luer-Jet Luer-Lock needleless syringe plus #2 mucosal atomizer devices (MAD-300)	#1 two-pack of two 4 mg/0.1 mL intranasal devices	#2 single-use 1-mL vials PLUS #2 3-mL syringe w/ 23–25 gauge 1–1.5 inch IM needles	#1 two-pack of two 0.4 mg/0.4 mL prefilled auto-injector devices

<b>Sig. (for suspected opioid overdose)</b>	Spray 1 mL (1/2 of syringe) into each nostril. Repeat after 2–3 minutes if no or minimal response.	Spray 0.1 mL into one nostril. Repeat with second device into other nostril after 2–3 minutes if no or minimal response.	Inject 1 mL in shoulder or thigh. Repeat after 2–3 minutes if no or minimal response.	Inject into outer thigh as directed by English voice-prompt system. Place black side firmly on outer thigh and depress and hold for 5 seconds. Repeat with second device in 2–3 minutes if no or minimal response.
---	--	--	---	--

(continued)

## Appendix B. Continued

	Injectable (and Intranasal-IN) Generic	Intranasal Branded	Injectable Generic <sup>a</sup>	Auto-Injector Branded
<b>Ordering information</b>				
<b>How supplied</b>	Box of 10 Luer-Jet prefilled glass syringes	Two-pack of single use intranasal devices	Box of 10 or package of 25 single-dose fliptop vials (10 mL)	Two pack of single use auto-injectors + 1 trainer
<b>Manufacturer</b>	IMS/ Amphastar	Adapt Pharma	Pfizer, Mylan, and West-Ward Pharmaceuticals	kaléo
<b>Web address</b>	Amphastar.com Teleflex.com	Narcannasalspray.com	Pfizerinjectables.com Mylan.com West-ward.com	Pfizerinjectables.com Evzio.com
<b>Customer service</b>	800-423-4136 866-246-6990	844-462-7226	877-946-7747 (P) 724-514-1800 (M) 800-631-2174 (W)	877-946-7747 (P) 855-773-8946

(continued)

## Appendix B. Continued

	Injectable (and Intranasal-IN) Generic	Intranasal Branded	Injectable Generic <sup>a</sup>	Auto-Injector Branded
NDC	76329- 3369-01	DME- no NDC	00409-1215-01 (P) 67457- 0292-02 (M) 0641-6132-25 (W)	60842-030-01 60842-051-01

IM = intramuscular; sub-Q = subcutaneous.

<sup>a</sup>Pfizer acquired Hospira in 2015. Pfizer has an additional naloxone product, which is not recommended for laypersons and take-home naloxone use because it is complicated to assemble (naloxone hydrochloride injection, USP, 0.4 mg/mL Carpuject Luer Lock Glass Syringe [no needle] NDC# 0409-1782-69).

<sup>b</sup>This product concentration is not yet currently available. As a result, some of the content is left blank.

<sup>c</sup>EVZIO 2 mg is now available. As of February 2017, EVZIO 0.4 mg will no longer be manufactured, but is still currently available and effective.

<sup>d</sup>There is considerable price variance for each product; local pharmacists are able to provide specific local pricing.

Source: Used with permission of PrescribeToPrevent.

