

Benazepril Hydrochloride Suspension 2 mg/mL

INGREDIENTS:

Benazepril hydrochloride 20 mg tablet	12 tablets
Ora-Plus	60 mL
Ora-Sweet	QSAD: 120 mL

EQUIPMENT AND SUPPLIES:

Graduated cylinder

PREPARATION DETAILS:

1. Place tablets in an appropriately sized amber bottle.
2. Add Ora-Plus to amber bottle.
3. Shake for at least 2 minutes. Allow the suspension to stand for a minimum of 1 hour, and then shake for a minimum of 1 additional minute.
4. Add vehicle to the bottle to achieve the total volume indicated above.
5. Shake well to mix.

Quality-Control Procedures — Visually inspect for physical appearance of formulation and container closure integrity (no leakage, cracks in container, or improper seals).

Labeling Requirements — Extemporaneously compounded preparation. For oral use only. Store in refrigerator. Shake well before use.

Storage Conditions/Stability — Refrigerate. Stable for 30 days.

STABILITY STUDY DETAILS:

Study Container Type — Amber polyethylene terephthalate (PET) bottle with a child-resistant screw-cap closure

Referenced Manufacturers — Benazepril hydrochloride tablets (Lotensin, Validus Pharmaceuticals, LLC); Ora-Plus, Ora-Sweet (Paddock Laboratories, LLC).

Stability-Indicating Study — No

REFERENCE

1. Lotensin [prescribing information]. Parsippany, NJ: Validus Pharmaceuticals, LLC; 2019.