

Page numbers followed by *t* indicate tables.

## A

---

Abbreviation tables, 43–45  
Accumulation, drug, 113  
Accuracy, 25  
Active ingredient in a stock solution when strength of diluted portion is known, 80–81  
Actual body weight, 113  
Addition of fractions, 6–7  
Admixtures, 75–76, 83–86  
    reconstitution of intravenous, 123–124  
Aliquot method, 27, 28–30, 76  
Alligation alternate, 84–86  
Alligation medial, 83–84  
Amount of solution of a desired strength, 78–79  
Apothecaries' system, 17, 22*t*  
Arabic numerals, 3, 5  
Avoirdupois system, 17

## B

---

Body surface area (BSA), 112–113, 114  
    reconstitution and, 122

## C

---

Class A torsion balance, 26, 32  
Clinical laboratory test values, 70  
Cockcroft-Gault equation, 115  
Colloidal solutions, 75  
Common fractions, 6–10  
Components of a prescription label, 38  
Compounding, 37  
    abbreviations, 45*t*

    of a commercial product into doses for a patient, 50  
Concentration, 14, 15*t*  
    admixtures, 75–76, 83–86  
    clinical laboratory test values, 70  
    converted to mg/mL or mcg/mL, 70–71  
    examples of, 91*t*  
    importance for medical math and clinical practice, 61–62, 75–76  
    liquids, 77–79  
    parts per million (PPM) and parts per billion (PPB), 69–70  
    percent volume in volume, 64–65  
    percent weight in volume, 62–64  
    problem solutions, 143  
    quantity and strength, 76–77  
    ratio strength, 67–69  
    solids, 82–83  
    of solutes, 99–109  
    stock solutions or mixtures, 79–82  
    summary and practice problems, 71–73, 86–88  
Conversions  
    of concentrations to mg/mL or mcg/mL, 70–71  
    problem solutions, 129–130  
    setting up calculations for, 17–20  
cytochrome P450 microsomal (CYP) enzymes, 116

## D

---

Daily dose, 112  
DEA number, 37

Decimals, 9–10  
Denominate numbers, 4–5  
Density  
  defined, 54  
  importance for medical math and clinical practice, 53–54  
  problem solutions, 141  
  summary and practice problems, 57–59  
Dilution and concentration of mixtures  
  admixtures, 75–76, 83–86  
  importance for medical math and clinical practice, 75–76  
  liquids, 77–79  
  problem solutions, 145  
  quantity and strength, 76–77  
  stock solutions or mixtures, 79–82  
  summary and practice problems, 86–88  
Dimensional analysis, 19  
Directions for patients, 38  
Division of fractions, 8–9  
Dosage regimen, 112  
Dose, 112  
Dosing  
  based on body surface area, 114  
  based on kidney function, 114–115  
  based on themometry, 115–116  
  based on weight, 113–114  
  definitions, 112–113  
  frequency abbreviations in, 44*t*  
  importance for medical math and clinical practice, 111  
  problem solutions, 151  
  of warfarin based on genetic testing, 116–117  
Drug form and routes of administration  
  abbreviations, 43*t*

---

**E**

Ease-of-use, patient, 48  
Electrolyte solutions, 89–90, 92  
Electronic balance, 26  
Emulsions, 75  
Error, percentage of, 27–28  
Exponential notation, 11

---

**F**

Flow rate  
  of intravenous fluids, 124  
  of parenteral solutions, 122–123  
  problem solutions, 153–155  
Formulas  
  importance for medical math and clinical practice, 47–48  
  maintaining the proportion of ingredients in, 48–49  
  problem solutions, 139  
  summary and practice problems, 51–52  
  using a commercial product to compound doses for a patient, 50  
Formulas method of conversions, 20  
Fractions, 4  
  common and decimal, 6–10  
  expressed as percentages, 10–11  
Freeze-drying (lyophilization), 120

---

**G**

Genetic testing, dosing of warfarin based on, 116–117  
Gravity, specific. *See* specific gravity

---

**H**

*Handbook on Injectable Drugs*, 119–120  
Household system of measurement, 17, 22*t*  
Hypertonic solutions, 90  
Hypotonic solutions, 90

---

**I**

Ideal body weight (IBW), 113–114  
Improper fractions, 6  
Indication for use of drug therapy  
  abbreviations, 45*t*  
International Normalized Ratio (INR), 116–117  
Intravenous admixtures, 123–124  
Intravenous fluids, flow rate of, 124  
Intuitive/logical methods of conversion, 19  
Isotonicity  
  basic concepts, 89–90

importance for medical math and clinical practice, 89  
 preparation of isotonic solutions and, 91–94  
 problem solutions, 147  
 summary and practice problems, 95–97

Isotonic solutions, 90  
 preparation of, 91–94

## K

Kidney function, dosing based on, 114–115

## L

Label, components of prescription, 38  
 Length measurement, metric system, 21*t*  
 Liquid-liquid aliquots, 29–30  
 Liquids, dilution and concentration of, 77–79  
 Liver function and dosing, 113  
 Lowest common denominators, 6

## M

Measurement and calculation  
 common and decimal fractions, 6–10  
 for conversions, 17–20  
 examples for prescription orders, 39–40  
 exponential notation, 11  
 importance for medical math and clinical practice, 3–4  
 importance of place holding in, 12  
 numbers and numerals in, 4–5  
 percentage, 10–11  
 problem solutions, 127  
 significant figures, 11–12

Medical order, 38  
 Medication errors, reduction of, 39  
 Metric system, 15–17  
 measure of length, 21*t*  
 measure of volume, 22*t*  
 measure of weight, 22*t*  
 prefixes and values in, 21*t*

Milli (prefix), 90  
 Milliequivalents (mEq), 101–106

Millimoles (mM), 101  
 Minimum measurable quantity (MMQ), 27, 32  
 Mixed numbers, 4  
 Mixtures, dilution and concentration of  
 admixtures, 75–76, 83–86  
 importance for medical math and clinical practice, 75–76  
 liquids, 77–79  
 quantity and strength, 76–77  
 stock solutions or mixtures, 79–82  
 summary and practice problems, 86–88

Mole (M), 90–91, 100–101  
 Multiplication of fractions, 8

## N

Nonelectrolyte solutions, 89  
 Numbers and numerals, 4–5  
 Numerators, 6

## O

Oral solutions, reconstitution of, 121–122  
 Osmolality, 90  
 Osmolarity, 90, 106–107  
 problem solutions, 149  
 Osmotic pressure, 89–90

## P

Parenteral solutions and flow rate, 122–123  
 Parts per billion (PPB), 69–70  
 Parts per million (PPM), 69–70  
 Patients, directions for, 38  
 Percentage, 10–11  
 Percentage of error, 27–28  
 Percentage strength, 14  
 liquids, 77–78  
 parts per million (PPM) and parts per billion (PPB), 69–70

Percent concentrations, 62–67  
 Percent volume in volume, 64–65  
 Percent weight in volume, 62–64  
 Percent weight in weight, 65–67  
 Place holding, 12  
 Precision, 25–26

Prefixes, metric system, 21 *t*

Prescriptions and drug orders

- abbreviation tables, 43–45
- calculation examples, 39–40
- components of a prescription label, 38
- DEA number, 37
- forms, 37
- importance for medical math and clinical practice, 35–36
- medical order, 38
- problem solutions, 137–138
- reducing medication errors and, 39
- requiring compounding, 37
- summary and practice problems, 40–42

Problem solutions

- concentrating and diluting solutions or mixtures, 145
- concentrations of solutes and osmolarity, 149
- concentration statements, 143
- density, specific gravity, and specific volume, 141
- fundamentals of measurement and calculation, 127
- isotonicity, 147
- prescriptions and drug orders, 137–138
- principles of weighing and measuring, 131–133
- reconstitution of solutions and suspensions and flow rate calculations, 153–155
- reducing and enlarging formulas, 139
- specific dosing calculations, thermometry, and pharmacogenomics, 151
- systems of measurement and conversions, 129–130

Progress tests, 33–34

- answers, 135

Proper fractions, 6

Proportions, 14, 17–19

- of ingredients maintained in formulas, 48–49

---

**Q**

Quantity and strength, dilution and concentration, 76–77

Quantity sufficient (q.s.—ing), 30–31

---

**R**

Ratios, 14, 17–19

Ratio strength, 67–69

- liquids, 77–78
- parts per million (PPM) and parts per billion (PPB), 69–70

Reconstitution

- flow rate of intravenous fluids and, 124
- importance for medical math and clinical practice, 119–120
- intravenous admixtures, 123–124
- introduction to, 120–121
- oral solutions and suspensions, 121–122
- parenteral solutions and flow rate, 122–123
- problem solutions, 153–155

Reduction in metric system, 16

Roman numerals, 3–4, 5

Routes of administration abbreviations, 43 *t*

---

**S**

Sensitivity requirement (SR), 27–28, 32

Serum creatinine, 114

Significant figures, 11–12

Single dose, 112

Solid-liquid aliquots, 30

Solids, concentration of, 82–83

Solid-solid aliquots, 29

Solutes

- importance for medical math and clinical practice, 99–100
- key concepts, 100–101
- milliequivalents (mEq), 101–106
- millimoles (mM), 101
- osmolarity, 90, 106–107
- problem solutions, 149
- summary and practice problems, 107–109

- Solutions, 75  
  of a desired strength, determining  
    amount of, 78–79  
  electrolyte, 89–90, 92  
  hypertonic, 90  
  hypotonic, 90  
  isotonic, 90, 91–94  
  nonelectrolyte, 89  
  parenteral, 122–123  
  stock, 79–82
- Specific gravity  
  defined, 54–55  
  importance for medical math and  
    clinical practice, 53–54  
  problem solutions, 141  
  summary and practice problems, 57–59  
  use in calculations of weight and  
    volume, 56–57
- Specific volume  
  defined, 55–56  
  importance for medical math and  
    clinical practice, 53–54  
  problem solutions, 141  
  summary and practice problems, 57–59
- Stock solutions, 79–82
- Subtraction of fractions, 6–8
- Suspensions, 75  
  reconstitution of, 121–122
- Systems of measurement, 20–21  
  apothecaries' and avoirdupois, 17, 22*t*  
  converting between, 17  
  household, 17, 22*t*  
  importance for medical math and  
    clinical practice, 13–15  
  metric, 15–17, 21–22*t*  
  problem solutions, 129–130  
  setting up calculations for conversions  
    between, 17–20  
  tables, 21–23*t*  
  useful equivalents to memorize, 23*t*
- T**
- 
- Thermometry, 115–116  
  problem solutions, 151
- Tonicity, 90
- Torsion balance, 26, 32
- Total dose, 112
- Toxic dose, 112–113
- True solutions, 75
- U**
- 
- United States Pharmacopeia/National  
  Formulary (USP/NF), 47
- Usual adult dose, 112
- V**
- 
- Vitamin K epoxide reductase complex  
  subunit 1, 116
- Volume  
  metric system, 22*t*  
  percent volume in, 64–65  
  percent weight in, 62–64  
  specific (See specific volume)  
  use of specific gravity in calculations  
    of weight and, 56–57
- W**
- 
- Warfarin dosing, 116–117
- Weaker solution from stronger stock  
  solution, amount of diluent required to  
  prepare, 82
- Weighing and measuring principles  
  aliquot method of, 27–28, 28–30  
  importance for medical math and  
    clinical practice, 25–27, 53–54  
  problem solutions, 131–133  
  quantity sufficient (q.s.—ing), 30–31  
  sensitivity requirement and percentage  
    of error in, 27–28, 32
- Weight  
  concentration of solids measured by,  
    82–83  
  dosing based on, 113–114  
  metric system, 22*t*  
  percent weight in, 65–67  
  per volume, 14  
  reconstitution based on body, 122  
  of solutes, 99–109  
  use of specific gravity in calculations  
    of volume and, 56–57
- Weighted average, 83
- Whole numbers, 4

