

# Index

## A

abbreviations  
in compounding, 58, 141  
Latin, 58–60, 61, 111  
metric system, 30  
on prescription labels, 58–60, 140–141

abuse of prescription drugs, risk of, 56

accuracy, 4  
in measuring doses, 38–39  
practice problems, 5, 145

addends, 15

addiction of prescription drugs, risk of, 56

addition  
of fractions, 18–19  
order of operations in, 21  
practice problems, 22–24, 147–149  
review of, 15–16  
for solving equations, 68–70  
for translating word problems into equations, 71

aliquots, 113–114

alligation, 104–107

alligation alternate, 105–107

alligation grid, 106

alligation medial, 104, 105, 106, 107

amino acid solutions, 100

amoxicillin pediatric drops, 81, 82–83

apothecary, 37

apothecary system, 37–38, 140  
conversions from, 37–38, 40–42, 140  
measuring doses accurately, 38–39  
solving problems using, 39–40

Arabic numerals, 8

“as needed” prescription, 60

assets, long- and short-term, 132

average inventory value, 131–132

average wholesale price (AWP), 131

avoirdupois system, 37–38

## B

base 10 system, 9–10

body surface area (BSA), 93–94

body weight  
body surface area and, 93–94  
dosing based on, 91–93

boiling point of water, 48, 49

business math  
average wholesale price, 131  
depreciation, 132  
gross profit, 130  
inventory management, 131–132  
markup, 130  
net profit, 130  
practice problems, 133–134, 172–174  
profit, 129  
revenue, 129  
wholesale acquisition cost, 131

## C

calculator  
to calculate decimal fractions, 21  
to calculate quotients, 17

calibrated, defined, 38

calibrated measurement devices, 38–39

carboplatin injection, 81

cefazolin, 31

Celsius, Andres, 49

Celsius system of temperature measurement, 49

centi, 30, 139

centigrade, 48–49

“check-sum” number, 57

commutative operations, 71

compound, defined, 58

compounding  
abbreviations used in, 58  
alligation to solve problems in, 104–107  
of concentrated solutions and dilutions, 102–104  
conversion factors in, 40  
directions for, 55, 58  
errors in (see medication errors)  
extemporaneous, 101, 111  
formulas (see compounding formulas)  
metric measurements in, 30  
percent error in, determining, 114  
proportion method in, 84  
ratios in, 79–80, 84  
sterile, 58, 89–90, 102, 119–120

compounding formulas, 111–114  
aliquots in, 113–114  
Latin abbreviations in, 58  
master formula record, 111–112  
percent error in, determining, 114  
practice problems, 115–116, 168–170  
reducing and enlarging, 112–113

concentrated solutions, 102–104  
 alligation, 104–107  
 “as is” delivery to patients, 103  
 dilutions, 102–104  
 concentrates, 102  
 concentrations  
 defined, 100  
 as ratios, 80–81  
 controlled substances, 56  
 Controlled Substances Act, 56  
 conversion factors, 40–42  
 conversions  
 in apothecary system, 37–38, 40–42  
 cancelling units in, 41  
 charts for, 38, 41, 140  
 conversion factors in, 40–42  
 decimal points in, 31–32  
 dimensional analysis in, 33  
 in metric system, 31–33  
 practice problems, 43–44, 150–151  
 problems that require, 39, 41–42  
 proportion equations used in, 84  
 between systems of measurements,  
 40–42  
 time, 48  
 critical thinking to solve problems  
 equations in, 67–70  
 practice problems, 73–74, 158–160  
 word problems, 70–72  
 cubic centimeter, 31

## D

days’ supply, calculating, 60–61  
 DEA registration numbers, 56–57  
 deci, 30, 139  
 deciliter (dL), 102  
 decimal fractions  
 defined, 20–21  
 denominator of, 20–21  
 fractions written as, 21  
 percent values written as, 99–100  
 place value and, 9–10  
 decimal points  
 in metric conversions, 31–32  
 in place value, 9–10  
 in rounding numbers, 10  
 rules for writing, 9–10  
 decimal system, 9–10  
 delayed-release, 65  
 denominator, 17–21  
 depreciation, 132  
 dextrose, 104, 107  
 diabetes management, 95  
 diethylene glycol, 55

difference, 16  
 digits  
 in decimal fractions, 20–21  
 in rounding numbers, 10  
 digoxin, 10, 91  
 dilutions, 102–104  
 practice problems, 108–109, 165–168  
 dimensional analysis, 33, 90  
 directions for use, on labels, 58  
 discount, 130–131  
 discount rate, 130–131  
 dividend, 17  
 division  
 of decimals, 9  
 of fractions, 18  
 order of operations in, 21  
 practice problems, 22–24, 147–149  
 review of, 16–17  
 for solving equations, 68–70  
 for translating word problems into equations, 71  
 writing, 17  
 division symbol, 17  
 divisor, 17  
 dose, defined, 89  
 dosing. *see* medication dosing  
 dosing regimen, defined, 89  
 dosing spoons, 38–39  
 dropper, calibrated, 38–39  
 Drug Enforcement Administration (DEA), 56–57  
 Durham-Humphrey amendment, 55

## E

electrolytes, 102, 121–122, 123  
 electronic health record or database, 30  
 epinephrine, 83–84  
 equal sign, 21, 67–68, 70, 71  
 equations  
 defined, 21, 67  
 to solve problems, 67–70  
 translating word problems into, 70–72  
 variables in, 67–70  
 equivalent weights, 122–123  
 expenses, 129  
 expressions, 21, 70–71  
 extemporaneous compounding, 101, 111  
 extremes, 84

## F

factors, 16–17  
 cancelling, 18  
 defined, 16  
 finding, 16  
 prime numbers, 17

Fahrenheit, 48–49  
 Fahrenheit, Daniel, 48  
 Federal Food, Drug, and Cosmetic Act, 55  
 flumazenil, 81  
 Food and Drug Administration, 55  
 format, of labels, 56–57, 61  
 formulas. *see* compounding formulas  
 fraction bar, 17  
 fractions. *see also* decimal fractions  
   converting to percents, 99–100  
   defined, 17  
   denominator in, 17–21  
   numerator in, 17–21  
   percent values written as, 99–100  
   reciprocal of, 18, 69  
   safe compounding and, 18  
   simplifying, 18  
   working with, 17–20  
   writing as decimals, 21  
 freezing point of water, 48, 49  
 frequency of administration, on labels, 56, 58

---

## G

gentamicin, 91–92  
 graduated cylinder markings, 10  
 gram (mass/weight), 29, 30  
 gross profit, 130

---

## H

height. *see* length/height  
 heparin, 94  
 high-risk concentrates, 102  
 hospital order forms, labeling on, 58, 62  
 hospital pharmacy practice, 107  
 household measurements, 38–41, 140  
   conversions from, 37–38, 40–42, 140  
   measuring doses accurately, 38–39  
   problems that require conversions, 41–42  
   solving problems using, 39–40  
   weight and volume, 38  
 hydrocortisone, 101

---

## I

improper fractions, 19–20  
 infusion. *see* injection and infusion  
 infusion flow rates, 123–124  
 infusion pumps, 124–125  
 injection and infusion  
   infusion flow rates, 123–124  
   infusion pumps, 124–125  
   IV piggyback bags, 82, 92, 120  
   medication errors, 119–120

  milliequivalents and millimoles, 121–125  
   practice problems, 126–127, 170–172  
   reconstituting medications, 120–121  
   valence and equivalent weights, 122–123  
 inpatient deaths, due to medication errors, 4  
 inscription, 58, 139  
 insignificant digits, 10  
 insulin doses, measuring and calculating, 94–95  
 integers, 9, 13  
 International System of Units (SI). *see* metric system  
 international units, 94–95  
 intravenous (IV) administration. *see also* injection and infusion  
   infusion flow rates, 123–124  
   infusion pumps, 124–125  
   piggyback bags, 82, 92, 120  
 intravenous infusion flow rates, 123–124  
 inventory management, 131–132  
 inventory value, 131–132  
 ions, 121–122  
 irrational numbers, 9  
 “is” as equal sign, 71  
 IV administration. *see* intravenous (IV) administration

---

## K

kilo, 30, 139

---

## L

label for counting. *see* numbers  
 labeling  
   on hospital order forms, 58, 62  
   on measurement devices, 38  
   on prescriptions (*see* prescription labels)  
 Latin abbreviations on prescription labels, 58–60, 61, 111  
 leading zero, 9, 10, 13  
 least common denominator (LCD), 19  
 length/height, in metric system, 29, 30  
 license classification, on labels, 56  
 Linnaeus, Carolus, 49  
 liter (volume), 29, 30–31  
 loading dose, 94  
 long-term assets, 132  
 lorazepam, 10

---

## M

markup, 130  
 markup rate, 130  
 mass. *see* weight  
 master formula record, 111–112  
 mathematics, 8  
 means, 84

- measurements. *see also* dosing
- accuracy of, 4
  - apothecary system, 37–38
  - avoirdupois system, 38
  - converting between systems of, 40–42 (*see also* conversions)
  - household, 38–41
  - metric, 29–33 (*see also* metric system)
  - practice problems, 43–44, 150–151
  - precision in, 4
  - rounding numbers, 10
  - temperature, 48–49
  - time, 47–48
- medical terminology, 59–60, 140–141
- medication dosing. *see also* measurements
- accuracy in measuring, 38–39, 62
  - based on body surface area, 93–94
  - based on body weight, 91–93
  - errors in (*see* medication errors)
  - for insulin, 94–95
  - international units for measuring, 94–95
  - patient-specific factors in, 3
  - practice problems, 96–97, 163–165
  - problems, common, 89–91
- medication errors
- acceptable error rate, 113
  - checking and double-checking calculations to avoid, 120
  - conversions and, 41, 42
  - deaths due to, 4
  - defined, 4
  - estimating before calculating to avoid, 42
  - impact of, 4
  - in insulin doses, 94
  - in pediatric patients, 92
  - percent error, determining, 114
  - place value and, 9
  - preventing, 8
  - proportion equations and, 83
  - ratios and, 80
  - reasonableness and, checking for, 67
  - in reconstituting medications, 120
  - roman numeral conventions and, 8
  - units of measure and, numbers without, 8
  - units of measure and, relationship between, 40
  - “when in doubt, throw it out,” 119
- medication forms, 62
- medication orders, 56, 58
- medicine cup, calibrated, 38–39
- meter (length/height), 29, 30
- metric system, 29–33
- conversions from, 31–33, 140
  - gram (mass/weight), 29, 30
  - liter (volume), 29, 30–31
  - meter (length), 29, 30
  - practice problems, 34, 150–151
  - prefixes, meanings, factors, and abbreviations, 30
- micro, 30, 139
- military time, 47–48
- milli, 30, 139
- milliequivalent (mEq), 121–125
- milligram, 31
- atomic weight expressed as, 121
- milligrams percent, 102
- milliliter, 31
- millimole (mmol), 121–125
- minimum weighable quantity (MWQ), 113–114
- mole (mol), 121–122
- molecular formulas, 121
- multiplication
- of decimals, 9
  - of fractions, 18
  - order of operations in, 21
  - practice problems, 22–24, 147–149
  - review of, 16–17
  - for solving equations, 68–70
  - for translating word problems into equations, 71
- 
- ## N
- natural numbers, 9
- net profit, 130
- nitroprusside, 102
- nomograms, 93–94
- NovoLog, 95
- numbers
- defined, 7–8
  - practice problems, 11–12, 145–147
  - relationship among, 9
  - rounding, 10
- number systems, 9–10
- place value, 9–10
  - rational and real numbers, 9
- numerals, 8–9
- converting, 8–9
  - with decimal points, rules for writing, 9–10
  - defined, 8
  - practice problems, 11–12, 145–147
  - systems of, 8–9
- numerator, 17–21
- 
- ## O
- order of operations, 21, 71
- outpatient
- deaths due to medication errors, 4
  - pharmacies, 38–39, 58
  - prescriptions, 38, 61, 89–90
- over-the-counter (OTC) drugs, 55

---

**P**

parentheses, in order of operations, 21  
 parts per million (PPM), 80, 102  
 patient information, on labels, 58  
 pediatric patients, dosing for  
   based on body surface area, 93  
   based on body weight, 91–93  
 percent error, 114  
 percent strengths, 99–102  
   defined, 100  
   labeling, 100  
   milligrams percent, 102  
   parts per million, 102  
   percent volume-in-volume, 102  
   percent weight-in-volume, 100–101  
   percent weight-in-weight, 101  
   practice problems, 108–109, 165–168  
   strength, defined, 100  
 percent volume-in-volume (v/v), 102  
 percent weight-in-volume (w/v), 100–101  
 percent weight-in-weight (w/w), 101  
 pharmacies  
   hospital, 107  
   retail, 129  
 place value, 9–10  
 potassium chloride (KCl), 100, 102, 121, 122–123  
 precision, 4  
 prescriber information, on labels, 56–57, 139  
 prescription  
   defined, 55  
   interpreting and transcribing, 58–62  
   legal requirements of, 56  
   parts of, 56–58, 139  
   practice problems, 63–64, 155–158  
   quantities and days' supply, calculating, 60–61  
 prescription labels  
   abbreviations on, 58–60  
   concentration on, of liquid or semisolid preparation, 80–81  
   DEA numbers on, 56–57  
   directions for use, signa or sig, 58  
   format, 56–57, 61  
   frequency of administration on, 56, 58  
   on hospital order forms, 58, 62  
   inscription and subscription on, 58  
   license classification on, 56  
   measurements in directions on, 38–39  
   patient information on, 58  
   percent strengths on, 100  
   preparing, 61–62  
   prescriber information on, 56–57

  quantities and days' supply on, 60–61  
   requirements for, 61–62  
   route of administration on, 56, 58, 62  
   translating, 61  
   on unit-dose packaging, 62  
 prime factor, 18  
 prime numbers, 17, 18  
 product, 16  
 profit, 129  
 proportion equations  
   defined, 81  
   practice problems, 85–86, 160–162  
   practice with, 82–84  
   ratios in, 81–84  
   to solve for an unknown value, 83  
   solving, steps in, 81–84  
 purchase price, 130

---

**Q**

quantities, calculating, 60–61  
 quotient, 17

---

**R**

ratio and proportion method, 81–82, 84  
 rational numbers, 9  
 ratios  
   defined, 17, 79  
   drug concentrations as, 80–81  
   drug strengths as, 80–81  
   fractions as, 17  
   percent values written as, 99–100  
   practice problems, 85–86, 160–162  
   practice with, 80  
   in proportion equations, 81–84  
   recognizing, 79–81  
   safe compounding and, 18  
   solving, steps in, 81–84  
   writing, 80  
 ratio strength, 79  
 real numbers, 9  
 reasonableness, checking for, 67, 72  
 reciprocal, 18, 69  
 reconstituting medications, 120–121  
 remainder, 17, 20  
 retail pharmacies, 129  
 revenue, 129  
 Roman numerals, 8–9  
 rounding numbers, 10  
 route of administration, on labels, 56, 58, 62  
 R<sub>x</sub> symbol, 58

**S**

saline solutions, 100  
 selling price, 130  
 short-term assets, 132  
 signa, sig, 58, 62, 139  
 single-dose packages, 62  
 sliding scale dosing, 95  
 smart IV pumps, 125  
 sodium chloride (NaCl), 103–104, 121–122  
 solute, 100  
 solution, 100  
 solvent, 100  
 sterile compounding, 58. *see also* injection and infusion  
   concentrated solutions and dilutions, 102  
   infusion pumps, 124–125  
   IV infusion flow rates, 123–124  
   medication errors, 89–90, 119–120  
   milliequivalents and millimoles, 121–125  
   reconstituting medications, 120–121  
 stock solutions, 102  
 strengths. *see also* percent strengths  
   defined, 100  
   as ratios, 80–81  
 subscription, 58, 139  
 subtraction  
   of fractions, 18–19  
   order of operations in, 21  
   practice problems, 22–24, 147–149  
   review of, 15–16  
   for solving equations, 68–70  
   for translating word problems into equations, 71  
 sulfonamides, 55  
 sum, 15, 16  
 superscription, 139  
 syringe  
   calibrated, 38–39  
   markings, 10

**T**

temperature, 48–49  
   conversions, 48, 49  
   measuring, 48–49  
   practice problems, 50, 154–155  
 time measurement, 47–48  
   practice problems, 50, 154–155  
 to-be-determined volume, 89–90  
 tobramycin, 82  
 topical medications, 58, 62  
 total, 15, 16  
 total parenteral nutrition (TPN), 104, 107, 122, 123

trailing zero, 9–10, 13  
 triamcinolone, 106–107  
 turnover rate, 131–132

**U**

unit-dose packaging, 62  
 United States Pharmacopeia-National Formulary (USP-NF), 113  
 unknowns. *see* variables

**V**

valence, 122–123  
 vancomycin, 10, 83  
 variables  
   defined, 67  
   in equations, 67–70  
   in measuring drug doses, 94  
   proportion equations to solve for, 83  
   in word problems, defining, 70  
 volume  
   accuracy in medication dosing, 38–39  
   in apothecary system, 37–38  
   converting between systems of measurement, 30–31  
   in household measurements, 38  
   in metric system, 29, 30–31  
   variations in, 38

**W**

weight, 30  
   accuracy in medication dosing, 38–39  
   in apothecary system, 37–38  
   atomic, of electrolytes, 121  
   body (*see* body weight)  
   converting between systems of measurement, 30, 31–32, 41  
   equivalent, valence and, 122–123  
   in household measurements, 38  
   in metric measurements, 29, 30, 41  
   milliequivalents and millimoles, 121–125  
   minimum weighable quantity, 113–114  
 weight-in-weight (w/w), 101  
 whole numbers, 9–10  
 wholesale acquisition cost (WAC), 131  
 word problems  
   addition in, 16  
   subtraction in, 16  
   translating into equations, 70–72  
   variables in, defining, 70

**Z**

zero, place value of, 9